


SERKET

سرکت



Volume 1

Cairo , Egypt

Part 4-5

1990

## PREFACE

Introducing this issue, the last one of volume 1, I hope I could put the basis of SERKET as an Egyptian, Middle Eastern, and North African arachnological bulletin. The start is humble but not bad!

The second volume of SERKET (1990-1991), in 4 parts, will reflect more "evolution" in its way to be a formal scientific bulletin (plesio- or apomorphic ?!). Standard sections will appear and more Arachnid groups will be dealt with. Other authors will publish their works here, specially after the end of volume 1's venture!

Subscription for volume 2 : US \$ 20.00 (personal rate),  
US \$ 30.00 (institutional r.).

Correspondence concerning subscription, back issues, exchange, publication, etc. should be addressed to the editor.

The Editor

Hisham K. El-Hennawy  
41, El-Manteqa El-Rabia St.,  
Heliopolis, Cairo, Egypt.

**Annotated Checklist of Egyptian Spider Species**  
(Arachnida : Araneae)

Hisham K. El-Hennawy  
41, El-Manteqa El-Rabia St., Heliopolis, Cairo

**Introduction**

The scientific study of Egyptian spiders began with the publication of Forskål's description of three spider species from Egypt in his work published by C. Niebuhr (1775). After fifty years, Audouin completed and published the work of Savigny in describing 81 spider species from Egypt and Palestine (north to Akko) which were figured on seven of the nine plates devoted to Arachnida in that great historical work. [Savigny described spider species of pl.1 f.1 - pl.4 f.10 noting their localities and Audouin described the other species without reference to their localities]

The second catalogue of Egyptian spiders was that of Cambridge (1876) which had been published after his records of 15 species from Sinai (1870) and other species during 1872 and 1874. In his catalogue, Cambridge recorded 164 species by himself, from Alexandria to Assuan (63 of them as new species) and 62 species from literature (not found by himself) to raise the number of recorded species to 226. In that catalogue, the work of L. Koch (1875) was represented by his 15 spp. from Cairo (7 of them as new species).

After that, the works of Simon were the most important from 1880 till 1910. [1880a: 11 spp. collected by M.A. Letourneux near Alexandria; 1880c: 3 n.spp. from Alexandria, Edko, and Ismailia; 1899: 32 spp. collected from Bir-Hooker, Wadi Natron by M.C.-J. Dewitz; 1907: 33 spp. from Cairo, Upper Egypt (near Assuan), etc.; 1910: 36 spp. in his first part of the Catalogue of Arachnids of Northern Africa]

During the forties of this century, Denis described new species from Egypt and his work upon spiders of Siwa (1947) was a very considerable addition to our knowledge of Egyptian Oases' spiders. In that work, Denis recorded 89 species, 25 of them as new species. In the same time, Dr. A.I. Hassan, the first Egyptian araneologist, began his studies to publish two papers upon Theraphosidae and Decobiidae (1950, 1953) and to prepare his own catalogue. Hassan's unpublished catalogue "Classification of Recent Spiders" was prepared about 1950 to include scientific names (of 318 species arranged in 29 families), synonyms, localities in Arabic, and many separate notes among pages.

Unfortunately, I did not know about Hassan's catalogue until 1982 after the first meeting with Dr. Hassan when I myself had finished the preparation of my first list of species (which included 321 species in 33 families). Since that time, only a list of Egyptian spider genera had been published by me (1987) to include only the number of species with every genus name.



This now list has been prepared depending upon the literature and refernces which I could find. It was revised many times and classified on the basis of the most recent spider classification. It includes 367 species arranged in 173 genera of 40 families. All taxa are arranged alphabetically to facilitate the usage of the list.

Under every species name, only the examined references are mentioned. References to different catalogues (Roewer, Brignoli, and Platnick) are included. Localities of available known records are arranged alphabetically just before noting different references individually in a chronological order.

Lastly, I would like to thank my father, Mr. Kamal El-Din El-Hennawy, who supplied me with a computer, a printer and enough fund for my work. This list would not appear in this form without his great support and encouragement.

### List of Abbreviations

#### Catalogues:

R1	Roewer's Katalog der Araneae, volume 1 (1942)
R2a	-----, ----- 2 part 1 (1954)
R2b	-----, ----- 2 part 2 (1954)
B	Brignoli's A Catalogue of the Araneae (1983)
P	Platnick's Advances in Spider Taxonomy (1989)

0000 page number in the catalogue

♂ ♀ o male, female, and/or immature (described or noted)

(00) references number per species in a catalogue

(T) type-species of a genus

Rec records (localities from which the species is recorded)

Ref references, within which the species is recorded from Egypt, from its area, or as a new species

### List of Families

#### Infraorder Mygalomorphae

Nemesiidae Theraphosidae

#### Infraorder Araneomorphae

Agelenidae	Linyphiidae	Prodidomidae
Araneidae	Liocranidae	Salticidae
Cithaeronidae	Loxoscelidae	Scytodidae
Clubionidae	Lycosidae	Segestriidae
Corinnidae	Mimetidae	Selenopidae
Dictynidae	Mysmenidae	Tetragnathidae
Dolomedidae	Decobiidae	Theridiidae
Dysderidae	Oonopidae	Thomisidae
Eresidae	Oxyopidae	Titanoecidae
Filistatidae	Palpimanidae	Uloboridae
Gnaphosidae	Philodromidae	Urocteidae
Hersiliidae	Pholcidae	Zodariidae
Heteropodidae	Pisauridae	



## List of Species

Order Araneida  
Suborder Opisthothelae  
Infraorder Mygalomorphae

Family **Nemesiidae**Genus **Nemesia** Savigny, 1825N. cellicola Savigny, 1825 (T) R1 180 ♂♀ (4)

Rec: Alexandria

- Ref: 1. N.c. Audouin, 1825 pp. 107-8 pl. 1 f. 1 D♀ near Alexandria  
2. N.c. Ausserer, 1871 p. 168 D♂  
3. N.c. Ausserer, 1875 pp. 153-5 N♂♀  
4. N.c. Raven, 1985 p. 95 ff. 79-84 N♂

Family **Theraphosidae**Genus **Chaetopelma** Ausserer, 1871C. aegyptiacum Ausserer, 1871 (T) R1 225 ♂♀ (1)

Rec: El-Fayum

- Ref: 1. C.a. Ausserer, 1871 pp. 191-2 D♂♀ Egypt  
2. C.a. Hassan, 1950 pp. 168-170 N♀ desert near Fayoum  
3. C.a. Smith, 1988 p. 76 f. 11b ph. (p. 173) D  
C. olivaceum (C.L. Koch, 1842) R1 225-6 ♂♀ (5)

Rec: ---

- Ref: 1. C.o. Hassan, 1950 p. 162 N  
2. C.o. Smith, 1988 pp. 76-77 f. 13L D  
C. shabati Hassan, 1950 B 135 ♂♀ (1)

Rec: Cairo

- Ref: 1. C.s. Hassan, 1950 pp. 163-8 ff. 1-10 D♂♀  
dark dampy places in towns [Cairo?]

## Infraorder Araneomorphae

Family **Agelenidae**Genus **Agelena** Walckenaer, 1805A. lepida Cambridge, 1876 R2a 37 ♂♀ (2)

Rec: Upper Egypt, Wadi Natron

- Ref: 1. A.l. Cambridge, 1876 pp. 558-9 D♂♀ in tufts of coarse grass and dry herbage on the desert near Gebel y Silsilis, Upper Egypt  
2. A.l. Pavesi, 1883 p. 42 N desert of Gebel-y-Silsilis, Upper Egypt  
3. A.l. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
4. A.l. Caporiacco, 1928 p. 97 N Egypt  
5. A.l. Brignoli, 1977 p. 14 N Upper Egypt, Wadi Natron  
6. A.l. Blauwe, 1980b pp. 19-23 ff. 30-35 D♂♀ Egypt

A. 1. deserta Caporiacco, 1933 R2a 37 ♂♀ (3)

Rec: Siwa Oasis

- Ref: 1. A.l.d. Denis, 1947b p. 31 pl. 1 f. 2, pl. 4 f. 1 N♂♀  
Siwa, Zegawa, Aghourmih salt marsh,  
Anas Yutra, Tarterad Hamid Bakour

A. timida (Savigny, 1825) R2a 37-8 ♂♀ (3)

Rec: Rosetta

- Ref: 1. Arachne t. Audouin, 1825 p. 114 pl. 1 f. 7 D♂  
gardens of Rosetta  
2. A.t. Brignoli, 1977 p. 14 N Egypt  
3. A.t. Blauwe, 1980b p. 26 N sp. incerta Egypt

Genus **Lycosoides** Lucas, 1846

L. coarctata (Dufour, 1831) R2a 81 ♂♀ (16)

Rec: Alexandria

- Ref: 1. *Textrix puta* Cambridge, 1872a p. 274 D♀  
 2. *Textrix c.* Cambridge, 1876 p. 559 D♀ among stones  
     and debris at Alexandria  
 3. *Textrix c.* Pavesi, 1878 p. 376 N Egypt  
 4. *L.c.* Brignoli, 1977 p. 16 N Egypt  
 5. *Textrix c.* Blauwe, 1980a pp. 15-17 f. 18-22 D♂♀ Egypt  
 6. *L.c.* Platnick, 1989 p. 402 N Mediterranean

Genus **Tegenaria** Latreille, 1804

T. domestica (Clerck, 1757) R2a 77-8 ♂♀ (50)

Rec: Rosetta

- Ref: 1. *Aranea derhamii* Scopoli, 1763 p. 400 D  
 2. *Arachne familiaris* Audouin, 1825 pp. 113-4 pl. 1 f. 6 D♀  
     from houses of Rosetta  
 3. *T.d.* Brignoli, 1977 p. 15 N Egypt

T. pagana C.L. Koch, 1841 R2a 75 ♂♀ (14)

Rec: Cairo

- Ref: 1. *T.p.* L. Koch, 1875 p. 36 N near Cairo  
 2. *T. proxima* Cambridge, 1876 p. 559 N Cairo  
 3. *T.p.* Pavesi, 1878 p. 375 N Egypt  
 4. *T.p.* Brignoli, 1977 p. 15 N Cairo  
T. parietina (Fourcroy, 1785) R2a 75-6 ♂♀ (20)

Rec: Alexandria

- Ref: 1. *T. domestica* Audouin, 1825 pp. 112-3 pl. 1 f. 5 D♀  
     from houses of Alexandria  
 2. *T.p.* Brignoli, 1977 p. 15 N Egypt

Genus **Textrix** Sundevall, 1830

T. caudata L. Koch, 1872 R2a 80 ♂♀ (6)

Rec: ---

- Ref: 1. *T.c.* Blauwe, 1980a pp. 12-14 f. 13-17 D♂♀ Egypt

Family **Araneidae**Genus **Araneus** Clerck, 1757

A. bituberculata Walckenaer, 1802 R1 782-3 ♂♀ (23)

Rec: Alexandria, Cairo

- Ref: 1. *Epeira dromedaria* Cambridge, 1876 p. 577 N  
     near Alexandria and Cairo  
A. circe (Savigny, 1825) R1 784 ♂♀ (21)

Rec: Alexandria

- Ref: 1. *Epeira c.* Audouin, 1825 pp. 127-8 pl. 2 f. 9 D♀  
     inside houses at Alexandria  
 2. *Epeira c.* Cambridge, 1876 p. 577 N at Alexandria  
 3. *Epeira c.* Pavesi, 1878 p. 367 N Egypt  
A. flavissima Linnaeus, 1758 R2b 1397 nicht zu  
     deuten !

Rec: ---

- Ref: 1. *A.f.* Linnaeus, 1758 p. 622 D Egypt

A. perplicata (Cambridge, 1872) R1 789 o♀ (3)

Rec: Alexandria

- Ref: 1. *Epeira p.* Cambridge, 1872a pp. 300-301 D♀ (immature ♂)  
     on low-growing plants in geometric snares  
 2. *Epeira p.* Cambridge, 1876 p. 577 N near Alexandria



- A. redii Scopoli, 1763 R1 790-1 ♂♀ (26)  
 Rec: Sinai  
 Ref: 1. A.r. Scopoli, 1763 p.394 D  
 2. A.aldrovandi Scopoli, 1763 p.394 D  
 3. Epeira solers, var.? Cambridge, 1870 p.819 N  
     Jebel Musa, peninsula Sinai  
 4. Epeira redii Pavesi, 1883 pp.13-14 N Egypt  
A. subfusca (C.L.Koch, 1837) R1 793 ♂♀ (15)  
 Rec: Siwa Oasis  
 Ref: 1. A.dalmaticus Denis, 1947b p.48 N Siwa  
 2. A.dalmaticus minor Denis, 1947b pp.48-9 N Siwa, Siwa  
     Tarterad, Baharein, Ilrhabit Uncorde, Girba, Khamissa  
A. suspicax (Cambridge, 1876) R1 793 ♂♀ (4)  
 Rec: Alexandria, Damietta, El-Fayum, Rosetta, Siwa Oasis,  
 Wadi Natron  
 Ref: 1. Epeira apoclista Audouin, 1825 pp.130-2 pl.3 f.1-2 D♂  
     island of Rosetta; gardens of Damietta  
 2. Epeira s. Cambridge, 1876 p.577 D on rushes  
     in a marsh near Alexandria  
 3. A.s. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)  
 4. A.s. Denis, 1944 p.53 N Birket-el-Zerum in Fayoum  
 5. A.s. Denis, 1947b p.49 pl.2 f.10-11 N♂♀ Siwa, Khamissa,  
     Gara, Ilrhabit Uncorde, Shiata, Maragi, Koreishid  
A. umbraticus Clerck, 1757  
     (A.sexipunctata Linnaeus, 1758) R1 791-2 ♂♀ (36)  
 Rec: Damietta  
 Ref: 1. A.swammerdamii Scopoli, 1763 p.393 D  
 2. Epeira umbratica Audouin, 1825 p.132 pl.3 f.3 D♂  
     near Damietta  
 Genus **Argiope** Savigny, 1825  
A. bruennichii (Scopoli, 1772) R1 734-5 ♂♀ (26)  
 Rec: ---  
 Ref: 1. A.b. Pavesi, 1878 p.367 N Egypt  
A. lobata (Pallas, 1772) R1 735 ♂♀ (22)  
 Rec: Alexandria, Cairo, Sinai  
 Ref: 1. A.sericea Audouin, 1825 pp.124-5 pl.2 f.6 D♀  
     near Alexandria and Cairo  
 2. A.splendida Audouin, 1825 pp.125-6 pl.2 f.7 D♀ (Akko)  
 3. A.sericea Cambridge, 1870 p.819 N convent gardens  
     and back of Mount Sinai  
 4. A.lodata Pavesi, 1878 p.367 N Egypt  
 5. A.l. Denis, 1947b p.44 pl.2 f.5 N♀  
A. obscuripes Strand, 1906 R1 736 ♀ (2)  
 Rec: Wadi Natron  
 Ref: 1. A.o. Strand, 1906 p.618 D♀ Bir-Hooker (Wadi Natron)  
A. sector (Forskål, 1775) R1 737 ♂♀ (10)  
 Rec: Nubia, Port Said, Siwa Oasis, Upper Egypt  
 Ref: 1. Aranea s. Forskål, 1775 p.85 D (Yemen)  
 2. A.lordii Cambridge, 1870 pp.420-1 pl.50 f.1 D♀ (Massowah)  
 3. A.lordii Simon, 1882 p.230 N Port-Said, Upper Egypt, Nubia  
 4. A.lordii Pavesi, 1883 p.10 N Port-Said, Upper Egypt,  
     Nubia, Lower Egypt  
 5. A.clarki Denis, 1947b pp.43-4 pl.2 f.4 N Siwa, Maragi,  
     Ilrhabit Uncorde, El Arig, Shiata, Khamissa  
     [Port Said : Pavesi, 1883]



A. trifasciata (Forskål, 1775) R1 733-4 ♂♀ (34)

Rec: Alexandria, Cairo, Siwa Oasis, Wadi Natron

Ref: 1. Aranea t. Forskål, 1775 pp. 86-7 D Cairo

2. A. aurelia Audouin, 1825 pp. 122-4 pl. 2 f. 5 D♂♀  
near Cairo and Alexandria

3. A. aurelia Cambridge, 1876 p. 576 N in the gardens and  
orange-groves at Shoubra and other places near Cairo

4. A. sticticalis Cambridge, 1876 p. 576 Do  
among low herbage near Alexandria

5. A. t. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

6. A. t. Simon, 1907 pp. 5-6 N Cairo

7. Metargiope t. Denis, 1947b pp. 44-5 N  
Siwa, Khamissa, Shiata, El Arig, Koreishid,  
Abu Sheruf, Girba, Baharein, Maragi

Genus *Cyclosa* Menge, 1866

C. insulana (Costa, 1834) R1 755 ♂♀ (15)

Rec: Siwa, Wadi Natron

Ref: 1. C. i. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

2. C. i. Denis, 1947b p. 46 N Siwa

Genus *Cyrtophora* Simon, 1864

C. citricola (Forskål, 1775) R1 747 ♂♀ (22)

Rec: Cairo, Siwa Oasis, Wadi Natron

Ref: 1. Aranea c. Forskål, 1775 p. 86 D Cairo, on Citrus trees

2. C. opuntiae Cambridge, 1876 p. 576 N abundant on the  
prickly pear, sont acacia, young date-palms, and  
other low trees and shrubs, near and above Cairo

3. C. c. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

4. C. c. Simon, 1907 p. 6 N Cairo and its surroundings

5. C. c. Denis, 1947b pp. 45-6 N Sitra, Girba, Khamissa,  
Tarterad Hamid Bakour, Gagub

Genus *Drexelia* McCook, 1892

D. acuticauda (Simon, 1906)

(*Larinia* a.) R1 769 ♀ (1)

Rec: Luxor, Siwa Oasis

Ref: 1. *Larinia* a. Denis, 1944 p. 53 N Louksor, Siwa

2. *Larinia* a. Denis, 1947b p. 47 N Siwa, Girba, Exabaia,  
Baharein, Khamissa

3. D. a. Grasshoff, 1971 pp. 94-5 f. 46, 39 (map: p. 89) D♂♀  
Siwa Oasis

4. D. a. Levy, 1986 pp. 8-10 f. 40-49 D♂♀

Genus *Gasteracantha* Sundevall, 1833

G. sanguinolenta C.L. Koch, 1845 R1 937-8 ♀ (23)

G. s. ruppelli (Strand, 1915)

R1 938 ♀ (1) Egypt

Rec: ---

Genus *Gea* C.L. Koch, 1843

G. nilotica Simon, 1906 R1 745 ♀ (1) Egypt

Rec: ---

Genus *Hypsosinga* Ausserer, 1871

H. albovittata (Westring, 1851) P 338 ♂♀ (2)

(*Singa* a.) R1 873 ♂♀ (17)

Rec: Alexandria

Ref: 1. *Singa* affinis Cambridge, 1876 p. 575 D♀  
on low plants near Alexandria

Genus *Larinia* Simon, 1874*L. chloris* (Savigny, 1825) R1 768 ♂ (1)

Rec: Siwa Oasis, Suez, Upper Egypt

Ref: 1. Epeira c. Audouin, 1825 p.133 pl.3 f.5 D♂ (near Akko)

2. Epeira c. Cambridge, 1876 p.576 N on low plants  
in Upper Egypt

3. L.c. Denis, 1947b pp.46-7 pl.2 f.6 N Shiata, Khamissa

4. L.c. Grasshoff, 1970a p.222-4 f.5,7,8 (map:p.220) D♂  
Suez

5. L.c. Levy, 1986 p.5 f.18-27(p.6) D♂

Genus *Larinioides* Caporiacco, 1934*L. cornutus* (Clerck, 1757) P 340 ♂ (7)

(Araneus cornutus = A. foliata) R1 800-801 ♂ (45)

Rec: Rosetta

Ref: 1. Aranea leuvenhoekii Scopoli, 1763 p.394 D

2. Epeira apoclista Audouin, 1825 pp.128-9 pl.2 f.10 D♂  
island of Rosetta and edges of the Nile near itGenus *Singa* C.L.Koch, 1836*S. lucina* (Savigny, 1825) R1 874-5 ♂ (4)

Rec: Alexandria, Rosetta

Ref: 1. Epeira l. Audouin, 1825 pp.132-3 pl.3 f.4 D♂  
island of Rosetta2. Epeira l. Cambridge, 1872a p.299 N among low-growing  
plants on banks of streams, near Alexandria3. S.l. Cambridge, 1876 pp.575-6 N among rushes and  
plants in a marsh near Alexandria*S. semiatra* L.Koch, 1867 R1 876 ♂ (2) Mediterranean

Rec:---

Ref: 1. S.s. L.Koch, 1867 pp.860-1 D♂ (Corfu)

2. S.s. Pavesi, 1878 pp.369-370 N Egypt

3. Araneus(S.)s. Caporiacco, 1928 p.93 N Egypt

Genus *Siwa* Grasshoff, 1970*S. atomaria* (Cambridge, 1876)

(Larinia a.) R1 768 ♂ (1)

Rec: Assuan, Cairo, Siwa Oasis, Upper Egypt

Ref: 1. Epeira a. Cambridge, 1876 pp.577-9 pl.59 f.9 D♂  
on low plants near Cairo and in Upper Egypt2. Larinia ovata Denis, 1947b pp.47-8 pl.2 f.7-9 D♂  
Siwa, Sitra3. S.a. Grasshoff, 1970b pp.409-410 f.18,28(map:p.421) D♂  
Cairo, Assuan

4. S.a. Levy, 1986 p.3 f.1-9(p.2) D♂

## Family Cithaeronidae

Genus *Cithaeron* Cambridge, 1872*C. limbatus* (Simon, 1885) R2a 475 ♂ (2)

Rec:---

Ref: 1. C.l. Simon, 1893 Hist.Nat.Ar., I(2):385-6 f.345 N♂ Egypt

2. C.l. Caporiacco, 1928 p.90 N Egypt



Family **Clubionidae**Genus **Cheiracanthium** C.L.Koch, 1839C. annulipes Cambridge, 1872 R2a 477 ♀ (1)  
Rec: Cairo, Philoe island (Assuan), Wadi Natron

- Ref: 1. C.a. Cambridge, 1872a pp.254-5 pl.16 f.36 D♀  
 2. C.a. Cambridge, 1876 p.553 N Cairo  
 3. C.a. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)  
 4. C.a. Simon, 1907 p.8 N Philoe island

C. dubium Cambridge, 1874 R2a 477 ♂ (1)  
Rec: Alexandria

- Ref: 1. C.d. Cambridge, 1876 p.553 N Alexandria

C. equestre Cambridge, 1874 R2a 479 ♂♀ (1)  
Rec: Cairo, Siwa Oasis

- Ref: 1. C.e. Cambridge, 1876 p.553 N near Cairo  
 2. C.e. Denis, 1947b p.66 N Siwa

C. isiacum Cambridge, 1874 R2a 479 ♂♀ (1)  
Rec: Cairo, Siwa, Wadi Natron

- Ref: 1. C.i. Cambridge, 1876 p.553 N on low plants, near Cairo  
 2. C.i. Pavesi, 1883 p.48 N Cairo  
 3. C.i. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)  
 4. C.i. Simon, 1907 p.7 N Cairo  
 5. C.i. Caporiacco, 1928 p.97 N Egypt  
 6. C.i. Denis, 1947b p.65 N Siwa

C. jovium Denis, 1947 R2a 479 ♀ (1)  
Rec: Siwa Oasis

- Ref: 1. C.j. Denis, 1947b p.65 pl.4 f.6 D♀ Siwa, Khamissa

C. pelasgicum (C.L.Koch, 1837) R2a 480 ♂♀ (10)  
Rec:---

- Ref: 1. C.p. Pavesi, 1878 pp.376-7 N Egypt

C. tenue Denis, 1947 R2a 482 ♂♀ (1)  
Rec: Siwa Oasis

- Ref: 1. C.t. Denis, 1947b p.66 pl.4 f.7,8 D♂♀ Siwa, Gara, Zegawa

Genus **Clubiona** Latreille, 1804C. listeri Audouin, 1825 R2b 1446 nicht zu deuten!

Rec:---

- Ref: 1. C.l. Audouin, 1825 pp.157-8 pl.5 f.9 D♀

Family **Corinnidae**Genus **Castianeira** Keyserling, 1879C. antinorii (Pavesi, 1880) R2a 609 ♂♀ (3)

Rec: Siwa Oasis

- Ref: 1. C.a. Denis, 1947b p.66 pl.4 f.10-12 N♂♀  
 Siwa, Tarterad Hamid Bakour

Family **Dictynidae**Genus **Altella** Simon, 1884A. libyca Denis, 1947 R2b 1301 ♀ (1)

Rec: Siwa Oasis

- Ref: 1. A.l. Denis, 1947b p.29 pl.1 f.1 D♀ Siwa

Genus **Archaeodictyna** Caporiacco, 1928A. anguinceps (Simon, 1899) R2b 1302 ♂♀ (3)

Rec: Siwa Oasis, Wadi Natron

- Ref: 1. Dictyna a. Simon, 1899 pp.244-6 f.1-3 D♂♀  
 Bir-Hooker (Wadi Natron)  
 2. Dictyna a. Simon, 1910 p.283 N Bir-Hooker  
 3. A.a. Caporiacco, 1928 p.81 N Egypt  
 4. A.a. Denis, 1947b p.28 N Baharein, East Lake shore (Siwa)



Genus **Devade** Simon, 1884

D. hirsutissima (Simon, 1880) R2b 1304 ♂♀ (6)

Rec: Mariout, Siwa Oasis, Suez

Ref: 1. Diotima h. Simon, 1880b p.55 D♂♀

2. D.h. Simon, 1910 p.279 D♂♀ on the plants' bases on the sandy and salty grounds, Mariout and Suez

3. D.h. Caporiacco, 1928 p.81 N Egypt

4. D.h. Denis, 1947b pp.28-9 N♀ in a shell of mussel shores of Birket El Gessabaia (Lake Exabaia)

Genus **Dictyna** Sundevall, 1833

D. conducta Cambridge, 1876 R2b 1305 ♂♀ (2)

Rec: Alexandria, Cairo, Lower Egypt, Suez

Ref: 1. D.c. Cambridge, 1876 pp.556-7 pl.58 f.4 D♂♀ on the branches of the Sont acacia in Lower Egypt

2. D.c. Simon, 1907 p.1 N Cairo

3. D.c. Simon, 1910 p.283 D♂ Alexandria, Cairo, Suez

D. conducens Cambridge, 1876 R2b 1305 ♂♀ (2)

Rec: Cairo, Lower Egypt, Elephantine and Philoe island (Assuan) Wadi-Halfa

Ref: 1. D.c. Cambridge, 1876 p.556 pl.58 f.3 D♂♀ on the branches of the Sont Acacia, near Cairo and in other parts of Lower Egypt

2. D.c. Simon, 1907 p.1 N Cairo, Elephantine (on Acacia nilotica), Philoe island, Wadi Halfa

3. D.c. Simon, 1910 p.283 N whole Egypt

D. innocens Cambridge, 1872 R2b 1306 ♂♀ (3)

Rec: Cairo

Ref: 1. D.i. Cambridge, 1872a p.262 D♀ on low growing plants

2. D.i. Cambridge, 1876 p.555 D♂♀ on a low plant near Cairo

Genus **Lathys** Simon, 1884

L. humilis (Blackwall, 1855) (T) R2b 1327 ♂♀ (17)

Rec:---

L. h. meridionalis (Simon, 1874) R2b 1328 ♂♀ (3)

Rec: Alexandria

Ref: 1. L.h.m. Simon, 1910 p.278 N Alexandria very common on bushes

Family **Dolomedidae**Genus **Dolomedes** Latreille, 1804

D. hyppomene Savigny, 1825 R2a 128 ♀ (2)

Rec: Damietta

Ref: 1. D.h. Audouin, 1825 pp.148-9 pl.4 f.9 D♀ near Damietta

Family **Dysderidae**Genus **Dysdera** Latreille, 1804

D. crocata C.L. Koch, 1839 R1 296-7 ♂♀ (19)

Rec: Alexandria

Ref: 1. D.c. Pavesi, 1878 p.379 N Egypt

2. D.c. Simon, 1907 p.3 N Alexandria

3. D.c. Simon, 1910 pp.320-1 f.9K(p.315) D♂♀ Alexandria

D. erythrina (Walckenaer, 1802) R1 292 ♂♀ (18)

Rec:---

Ref: 1. D.e. Audouin, 1825 p.154 pl.5 f.3 D♀

- D. lata Reuss, 1834 R1 294 ♀ (3)  
 Rec: Alexandria, Cairo  
 Ref: 1. D.l. Koch, 1875 p.58 N Cairo  
 2. D.l. Cambridge, 1876 p.547 No under stones, Alexandria  
 3. D.l. Pavesi, 1878 p.379 N Egypt
- D. lubrica Simon, 1907 R1 294 ♂♀ (2)  
 Rec: Alexandria?, Cairo  
 Ref: 1. D.l. Simon, 1907 pp.1-2 D♂♀ Cairo, (Alexandria?)  
 2. D.l. Simon, 1910 p.320 f.7E(p.313) D♂♀ Alexandria!, Cairo
- D. pharaonis Simon, 1907 R1 295 ♂♀ (1)  
 Rec: Alexandria, Mariout  
 Ref: 1. D.p. Simon, 1907 p.3 D♂♀ Alexandria, Mariout  
 2. D.p. Simon, 1910 pp.318-9 D♂♀ Alexandria, Mariout
- D. subnubila Simon, 1907 R1 296 ♂♀ (1)  
 Rec: Alexandria, Cairo  
 Ref: 1. D.s. Simon, 1907 p.3 D♂♀ Alexandria, Cairo  
 2. D.s. Simon, 1910 pp.321-2 f.9I(p.315) D♂♀ Alexandria, Cairo
- D. westringii Cambridge, 1872 R1 296 ♂♀ (5)  
 Rec: Alexandria  
 Ref: 1. D.w. Cambridge, 1872a p.223 pl.13 f.2 D♂♀  
 2. D.w. Simon, 1907 pp.2-3 N Alexandria  
 3. D.w. Simon, 1910 p.311 N Alexandria

#### Family Eresidae

- Genus Dorceus C.L.Koch, 1846  
D. quadrispilatus Simon, 1908 R2b 1291 ♂ (2)  
 Rec: Alexandria, Mariout  
 Ref: 1. D.q. Simon, 1908 pp.82-3 D♂ Alexandria, Mariout  
 2. D.q. Simon, 1910 pp.293-4 D♂ Alexandria, Mariout
- Genus Eresus Walckenaer, 1805  
E. petagnae Audouin, 1825 R2b 1295 ♀ (1)  
 Rec: Alexandria  
 Ref: 1. E.p. Audouin, 1825 p.151 pl.4 f.11 D♀  
 2. E.p. Cambridge, 1876 p.554 N under stone near Alexandria  
 3. E.p. Simon, 1884 p.326 N Egypt
- <Note. This species may be E. niger Petagna, 1787 ; or E. n. frontalis (Latreille, 1819) - [Cambridge, 1876]; or E. semicanus, E. pharaonis, or perhaps also Dorceus quadrispilatus - [Simon, 1910 , p.294]>
- E. pharaonis Walckenaer, 1837 R2b 1295 ♀ (4)  
 Rec: ---  
 Ref: 1. E.p. Simon, 1908 pp.83-4 D♀ Egypt  
 2. E.p. Simon, 1910 p.298 D♀ Egypt
- E. pulchellus Lucas, 1864 R2b 1296 ♀ (1) Nubien  
 <Note. Simon, 1908 p.81 & 1910 p.289: It may be the male of Stegodyphus niloticus>
- E. semicanus Simon, 1908 R2b 1295 ♂♀ (2)  
 Rec: Alexandria, Mariout, Suez  
 Ref: 1. E.s. Simon, 1908 p.83 D♂♀ Alexandria, Mariout, Suez  
 2. E.s. Simon, 1910 pp.294-5 f.5 D♂♀ Alexandria, Mariout, Suez
- E. walckenaeri Brullé, 1832 R2b 1296 ♂♀ (15)  
 Rec: ---  
 Ref: 1. E. theisii Pavesi, 1878 p.389 N Egypt



Genus *Stegodyphus* Simon, 1873

- S. dufouri* (Audouin, 1825) R2b 1297 ♂♀ (9)  
 Rec: Alexandria, Assiut, Assuan, Beni Suef, Cairo, El-Baharia Oases, El-Fayum, El-Menoufeia, Gizeh, Kena, Luxor, Nile Barrage, Port Said, Sinai (southern), Siwa Oasis, Sohag, Suez, Wadi Halfa, Wadi Natron
- Ref: 1. *Eresus d.* Audouin, 1825 pp. 151-2 pl. 4 f. 12 D♀  
 2. *Eresus d.* Cambridge, 1876 p. 554 N immature examples, on low plants on the edge of the desert above Assuan (Note. It may be *S. lineatus* (E. adspersus) - Simon, 1908)  
 3. *Eresus d.* Simon, 1880a p. 47 N near Alexandria  
 4. *S. d.* Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
 5. *S. molitor* Strand, 1908 p. 69 N♀ Bir Hooker, Wad-i-Natron  
 6. *S. d.* Simon, 1908 p. 79 N♂ on reeds in the surroundings of Alexandria; Suez; Fayoum  
 7. *S. manicatus* Simon, 1908 pp. 79-80 D♂ (non ♀) Dj. Mokattam, near Cairo  
 8. *S. niloticus* Simon, 1908 pp. 80-2 D♀ Quadi Halfa  
 9. *S. d.* Simon, 1910 p. 287 f. 4B D♂♀ Alexandria, Fayoum, Suez  
 10. *S. manicatus* Simon, 1910 p. 288 f. 4C D♂ (non ♀) Dj. Mokattam near Cairo  
 11. *S. niloticus* Simon, 1910 pp. 288-290 D♀ Quadi Alfa  
 12. *S. manicatus* Denis, 1947b pp. 30-1 N♂♀ Siwa, Koreishid, Abu Sheruf, Sitra, Exabaia, Tarterad Hamid  
 13. *S. d.* El-Hennawy, 1987a p. 5 f. 13 (map) N Cairo, El-Fayum, Beni Suef, Assiut, Sohag, Kena, Luxor, and other localities on a map  
 14. *S. d.* El-Hennawy, 1987c p. 19 N Kafr El-Sheikh Khalil - El-Menoufeia; El-Manshia, near Kom Ombo - Assuan; Kom Osheem - El-Fayum; Wadi Gharandel - Southern Sinai; Port Said; El-Bawitti - El-Baharia Oases  
 15. *S. d.* Kraus & Kraus, 1988 pp. 208-214 f. 104, 105, 111, 112, 126-131, 142-173 Map 9 D♂♀ Siwa, Exabaia, Sitra, Cairo (Center Salam), Djebel Mokattam near Cairo, Gizeh, Nile Barrage, Upper Egypt, Assuan, Wadi Halfa
- S. lineatus* (Latreille, 1817) R2b 1297 ♂♀ (12)  
 Rec: Alexandria, Cairo, Damietta, Sinai, Siwa Oasis, Suez
- Ref: 1. *Eresus acanthophilus* Cambridge, 1870 p. 820 N Wady Nasb, Genneh, Jebel Musa, and Convent gardens, back of Mount Sinai  
 2. *S. l.* Simon, 1908 p. 78 N very rare, on thorny bushes, Dj. Mokattam, Dj. Ataka  
 3. *S. l. deserticola* Simon, 1908 p. 79 N Egyptian desert  
 4. *S. l.* Simon, 1910 pp. 286-7 f. 4A D♂♀ very rare in Egypt; Dj. Ataka  
 5. *S. l. deserticola* Simon, 1910 p. 287 N♀ Egypt  
 6. *S. l. deserticola* Denis, 1947b pp. 29-30 N♀ Siwa depression, on Acacia trees  
 7. *S. l.* Kraus & Kraus, 1988 pp. 231-5 f. 28, 202-205, 227, 228, 234-242 pl. 3 (f. A-E, G) Map 7 D♂♀ Siwa depression, Alexandria, Damietta [=Dumyat], Sinai
- S. manicatus* Simon, 1876 R2b 1299 ♂♀ (4)  
 Rec: Cairo
- Ref: 1. *S. m.* Simon, 1908 pp. 79-80 D♀ (non ♂) Dj. Mokattam near Cairo  
 2. *S. m.* Simon, 1910 p. 288 D♀ (non ♂) near Cairo  
 3. *S. m.* Kraus & Kraus, 1988 pp. 218-220 f. 108, 114, 115, 188-194 Map 6 D♂♀



Family **Filistatidae**Genus **Filistata** Latreille, 1810F. insidiatrix (Forskål, 1775) (T) R2b 1280 ♂♀ (15)

Rec: Alexandria, Cairo, Lower Egypt, Siwa Oasis

Ref: 1. Aranea i. Forskål, 1775 p.86 D Egypt

2. F. testacea L. Koch, 1875 p.58 N Cairo

3. F. testacea Cambridge, 1876 pp.543-4 N♂♀ near Alexandria  
and in several other parts of Egypt

4. F. puta Cambridge, 1876 p.544 D♀ Alexandria

5. F. testacea Pavesi, 1878 p.380 N Lower Egypt

6. F. i. Simon, 1910 p.300 N Egypt

7. F. puta Simon, 1910 p.300 N Egypt [desertic form of F. i.]

8. F. i. Denis, 1947b p.24 N♀ Siwa

9. F. puta Denis, 1947b p.25 N♀ [or F. i. puta] Siwa

10. F. i. Benoit, 1968 pp.993-4 N Egypt

11. F. i. Brignoli, 1982 pp.68-9 f.1-5 N♂♀ Alexandria

Genus **Sahastata** Benoit, 1968S. nigra (Simon, 1897) B 145 (N)

(Filistata n.) R2b 1280 ♀ (4)

Rec: Cairo, Luxor, Suez

Ref: 1. Filistata n. Simon, 1910 p.300 N Cairo!, Suez!,  
plain of Thebes

2. S. n. Benoit, 1968 pp.97-9 f.1-5 N♂♀

Family **Gnaphosidae**Genus **Aphantaulax** Simon, 1878A. albin (Audouin, 1825) R2a 408 ♀ (5)

Rec: ---

Ref: 1. Clubiona a. Audouin, 1825 p.157 pl.5 f.8 D♀

2. A. a. Simon, 1884 p.339 N Egypt

Genus **Berlandina** Dalmas, 1922B. jovia Denis, 1947 R2a 358 ♀ (1)

Rec: Siwa Oasis

Ref: 1. B. j. Denis, 1947b pp.63-4 pl.3 f.11 D♀ Siwa

B. plumalis (Cambridge, 1872) (T) R2a 358 ♂♀ (15)

Rec: Alexandria, Cairo

Ref: 1. Gnaphosa p. Cambridge, 1872a pp.225-6 pl.15 f.3 D♂

under a stone, at Alexandria

2. Gnaphosa p. Cambridge, 1876 p.550 N Alexandria

3. Berlandia p. Dalmas, 1920 pp.268-270 f.45, 52, 53 D♂♀

Alexandria

4. B. p. Denis, 1944 p.48 N Zeitun, near Cairo

B. venatrix (Cambridge, 1874) R2a 358 ♂♀ (4)

Rec: Alexandria, Assuan, Cairo, Luxor, Sinai, Wadi Halfa

Ref: 1. Gnaphosa v. Cambridge, 1876 p.551 N at Alexandria

2. Berlandia v. Dalmas, 1920 pp.272-3 f.48, 56, 57 D♂♀

Cairo, Alexandria, Thèbes, Assouan,

Quadi-Halfa, Ain-Mouça (Sinai)

Genus **Camillina** Berland, 1919C. berlandi Denis, 1944 R2a 410 ♀ (1)

Rec: Cairo

Ref: 1. C. b. Denis, 1944 p.47 pl.1 f.13, 14 D♀ Zeitun, near Cairo  
in the desert under plants and stones

Genus **Drassodes** Westring, 1851

D. aegyptius (Cambridge, 1874) R2a 385 ♂ (3)

Rec: Alexandria

Ref: 1. Drassus a. Cambridge, 1876 p.552 N under stones at  
Alexandria

D. alexandrinus (Cambridge, 1874) R2a 385 ♂ (1)

Rec: Alexandria

Ref: 1. Drassus a. Cambridge, 1876 p.551 N among the debris of  
an old wall near Alexandria

2. D.a. Caporiacco, 1928 p.83 N Egypt

D. citipes Simon, 1893 R2a 385 ♀ (1)

Rec: ---

Ref: 1. D.c. Simon, 1893 Hist. Nat. Ar., I(2) p.362 D♀ Egypt

D. denotatus (Cambridge, 1874) R2a 386 ♀ (1)

Rec: Cairo

Ref: 1. Drassus d. Cambridge, 1876 p.552 N Cairo

D. ensiger (Cambridge, 1874) R2a 386 ♂♀ (1) Egypt

<Note. Not recorded in Cambridge's Catalogue, 1876>

D. infumatus (Cambridge, 1872) R2a 387 ♂♀ (1)

Rec: Cairo

Ref: 1. Drassus i. Cambridge, 1872a pp.238-9 pl.15 f.16 D♂♀  
in an old ruined mud wall near Cairo

2. Drassus i. Cambridge, 1876 p.551 N under the ruins of  
an old mud wall near Cairo

D. pseudomorosus Strand, 1915 R2a 391 ♂♀ (3) Egypt

Rec: ---

Genus **Echemus** Simon, 1878

E. mollis (Cambridge, 1874) R2a 418 ♀ (1)

Rec: Alexandria

Ref: 1. Prothesima m. Cambridge, 1876 p.553 N under a stone  
near Alexandria

Genus **Leptodrassus** Simon, 1878

L. pupa Dalmas, 1919 R2a 405 ♂♀ (1)

Rec: Suez

Ref: 1. L.p. Dalmas, 1919 p.248 D♂♀ Suez

Genus **Megamyrmaekion** Reuss, 1834

M. caudatum Reuss, 1834 (T) R2a 425 ♀ (4)  
Egypt

Rec: ---

M. holosericeum Simon, 1882 R2a 425 ♀ (1)

Rec: Assuan

Ref: 1. M.h. Simon, 1882 pp.257-8 pl.8 f.21-22 D♀ Assuan

Genus **Minosia** Dalmas, 1920

M. pharao Dalmas, 1920  
(Crosbyellum p.) R2a 359 ♂♀ (1)

Rec: Alexandria, Cairo

Ref: 1. M.p. Dalmas, 1920 pp.303-4 f.102, 107, 108 D♂♀  
Cairo, Alexandria

Genus **Minosiella** Dalmas, 1920

M. mediocris Dalmas, 1920 (T) R2a 371 ♂♀ (1)

Rec: Cairo, El-Fayum, Siwa Oasis, Suez

Ref: 1. M.m. Dalmas, 1920 pp.311-2 f.113, 118 D♂♀  
Cairo, Suez, Fayoum

2. M.m. Denis, 1947b p.64 N Siwa

M. pharia Dalmas, 1920 R2a 371 ♀ (1)

Rec: Cairo

Ref: 1. M.p. Dalmas, 1920 p.313 f.115 D♀ Cairo



Genus *Nomis* Dalmat, 1920

*N. marginata* (Cambridge, 1874) R2a 372 ♂ (5)

Rec: Alexandria, Cairo

Ref: 1. Gnaphosa m. Cambridge, 1876 p. 551 N among the ruins of an old wall near Cairo

2. N.m. Dalmat, 1920 pp. 296-7 f. 79, 98 D♂♂ Alexandria, Cairo

*N. recepta* (Pavesi, 1880) R2a 373 ♂ (2)

Rec: ---

Ref: 1. N.r. Dalmat, 1920 pp. 283-4 f. 66, 86, 87 D♂♂ Egypt

Genus *Poecilochroa* Westring, 1874

*P. antineae* Fage, 1929 R2a 429 ♂ (1)

Rec: ---

Ref: 1. P.a. Fage, 1929 pp. 248-9 f. 1 D♂ Egypt

*P. campestrata* (Cambridge, 1874) R2a 429 ♂ (1)

Rec: Alexandria

Ref: 1. Drassus c. Cambridge, 1876 p. 551 N under a stone near Alexandria

*P. lesserti* Denis, 1947 R2a 430 ♂ (1)

Rec: Siwa Oasis

Ref: 1. P.l. Denis, 1947b pp. 62-3 pl. 3 f. 8-10 D♂♂

Siwa, Khamissa, Shiata

*P. monodi* Fage, 1929 R2a 430 ♂ (1)

Rec: Cairo, El-Fayum

Ref: 1. P.m. Fage, 1929 pp. 249-250 f. 2, 3 D♂♂ Cairo, Fayoum

*P. pugnax* (Cambridge, 1874) R2a 430 ♂ (3)

Rec: Cairo

Ref: 1. Drassus p. Cambridge, 1876 p. 552 N among the debris of an old wall at Cairo

Genus *Pterotracha* Kulczynski, 1903

*P. aegyptiaca* Dalmat, 1920 R2a 375 ♂ (1)

Rec: Lower Egypt

Ref: 1. P.a. Dalmat, 1920 pp. 258-9 f. 23, 41 D♂♂ Lower Egypt

2. P.a. Caporiacco, 1928 p. 89 N Egypt

*P. conspersa* (Cambridge, 1872) R2a 375 ♂ (3)

Rec: Cairo, Gizeh

Ref: 1. Gnaphosa c. Cambridge, 1872a pp. 230-1 pl. 15 f. 5 D♂♂ under stones close to the pyramids of Gizeh, near Cairo

2. Gnaphosa c. Cambridge, 1876 p. 550 N under stones near the pyramids of Gizeh

3. P.c. Dalmat, 1920 pp. 257-8 f. 22 D♂ Egypt

4. P.c. Denis, 1944 p. 47 N Helouan, near Cairo

*P. isiaca* Dalmat, 1920 R2a 375 ♂ (2)

Rec: Lower Egypt, Siwa Oasis

Ref: 1. P.i. Dalmat, 1920 p. 259 f. 24 D♂♂ Lower Egypt

2. P.i. Denis, 1947b p. 63 pl. 4 f. 5 D♂♂ Siwa

*P. lentiginosa* (C.L.Koch, 1837) (T) R2a 375-6 ♂ (8)

Rec: ---

Ref: 1. Gnaphosa l. Pavesi, 1878 pp. 378-9 N Egypt

*P. linnaei* (Audouin, 1825) R2a 376 ♀ (2)

Rec: ---

Ref: 1. Drassus l. Audouin, 1825 p. 156 pl. 5 f. 7 D♂

*P. procera* (Cambridge, 1874) R2a 376 ♂ (3)

Rec: Alexandria, Cairo

Ref: 1. Gnaphosa p. Cambridge, 1876 p. 550 N under stones near Alexandria

2. P.p. Dalmat, 1920 p. 256 f. 20, 39, 40 D♂♂ Cairo, Alexandria



- P. schaefferi (Audouin, 1825) R2a 377 ♂♀ (7)  
 Rec: Alexandria, Assuan, Cairo, Suez, Wadi Halfa  
 Ref: 1. Drassus s. Audouin, 1825 p.156 pl.5 f.5 D♂  
 2. P.s. Simon, 1907 p.4 N Cairo, Assuan, Wadi-Halfa  
 3. P.s. Dalmas, 1920 pp.260-1 f.26, 42 D♂♀  
     Cairo, Alexandria, Suez  
 4. P.s. Caporiacco, 1928 p.89 N Egypt  
 Genus **Scotophaeus** Simon, 1893  
S. mundulus (Cambridge, 1872) R2a 434 ♀ (3)  
 Rec: Cairo  
 Ref: 1. Drassus m. Cambridge, 1872a pp.234-5 pl.15 f.11 D♂♀  
     among debris of an old wall at Cairo  
 2. Drassus m. Koch, 1875 p.49 N near Cairo  
 3. Drassus m. Cambridge, 1876 p.551 N among the ruins of  
     an old wall at Cairo  
 4. S.m. Caporiacco, 1928 p.85 N Egypt  
S. senilis (Cambridge, 1872) R2a 435 ♀ (1)  
 Rec: Alexandria  
 Ref: 1. Drassus s. Cambridge, 1872a pp.236-7 pl.15 f.13 D♀  
     under a stone near Alexandria  
 2. Drassus s. Cambridge, 1876 p.551 N under a stone  
     near Alexandria  
S. vulpinus (Cambridge, 1874) R2a 436 ♀ (1)  
 Rec: Cairo  
 Ref: 1. Drassus v. Cambridge, 1876 p.552 N in an old building  
     at Cairo  
 Genus **Talanites** Simon, 1893  
T. ornatus (Cambridge, 1874) R2a 407 ♂ (1)  
 Rec: Alexandria  
 Ref: 1. Drassus o. Cambridge, 1876 p.551 N under a piece of  
     stone near Alexandria  
 2. Drassus o. Dalmas, 1919 p.250 N (=T.o.)  
 Genus **Trachyzelotes** Lohmander, 1944  
T. lyonneti (Audouin, 1825) P 487 ♂♀ (1)  
     (Zelotes l.) R2a 453 ♂♀ (6)  
 Rec: ---  
 Ref: 1. Drassus l. Audouin, 1825 p.156 pl.5 f.6 D♂  
T. jaxartensis (Kroneberg, 1875) P 486-7 ♂♀ (11)  
 Rec: Assiut, Luxor  
 Ref: 1. Zelotes sorex Denis, 1944 pp.46-7 pl.1 f.12 D♀ Louksor  
 2. T.j. Platnick & Murphy, 1984 pp.10-13 f.19-22 D♂♀ Luxor,  
     Kafr ash Shaykh (?); Asyut (pitfall traps in sugar cane)  
 Genus **Urozelotes** Mello-Leitão, 1938  
U. rusticus (L. Koch, 1872) P 488 ♂♀ (10)  
     (Zelotes r.) R2a 461 ♂♀ (16)  
 Rec: Matruh, Siwa Oasis  
 Ref: 1. Z. razoumowskyi Denis, 1947b pp.60-1 pl.3 f.7 D♀ Siwa  
 2. U.r. Platnick & Murphy, 1984 pp.24-27 f.55-58 D♂♀  
     Matruh : Siwa(?)  
 Genus **Zelotes** Gistel, 1848  
Z. curinus (Cambridge, 1874) R2a 448 ♂ (1)  
 Rec: Alexandria  
 Ref: 1. Prothesima c. Cambridge, 1876 p.552 N under a stone  
     at Alexandria  
 2. Prothesima c. Pavesi, 1883 p.52 N Egypt

- Z. inauratus (Cambridge, 1872) R2a 451 ♂ (2)  
Rec: Alexandria, Lower Egypt  
Ref: 1. Melanophora i. Cambridge, 1872a pp. 246-7 pl. 16 f. 26 D♂  
under a stone near Alexandria  
2. Prothesima i. Cambridge, 1876 p. 553 N under stones  
near Alexandria  
3. Prothesima i. Simon, 1882 p. 234 N Lower Egypt  
Z. intricatus Denis, 1947 R2a 451 ♀ (1)  
Rec: Siwa Oasis  
Ref: 1. Z.i. Denis, 1947b p. 61 pl. 4 f. 4 D♀ marsh at Khamissa  
Z. laetus (Cambridge, 1872) R2a 451 ♂ (2)  
Rec: Cairo  
Ref: 1. Melanophora l. Cambridge, 1872a pp. 241-2 pl. 15 f. 19 D♂  
Cairo  
2. Prothesima l. Cambridge, 1876 p. 552 N under stones  
near Cairo  
Z. listeri (Audouin, 1825) R2a 452 ♀ (4)  
Rec: Sinai (southern)  
Ref: 1. Drassus l. Audouin, 1825 p. 155 pl. 5 f. 4 D♀  
2. Drassus l. Cambridge, 1870 p. 819 N Convent gardens  
and back of Mount Sinai  
Z. niliicola (Cambridge, 1874) R2a 454 ♂ (6)  
Rec: Alexandria, Nile Delta  
Ref: 1. Prothesima n. Cambridge, 1876 p. 552 N under a stone  
near Alexandria  
2. Z.n. Dalmas, 1922 pp. 84-5 N Alexandria, Nile Delta  
Z. pycinus (Cambridge, 1872) R2a 455 ♀ (2)  
Rec: Alexandria  
Ref: 1. Melanophora p. Cambridge, 1872a p. 242 pl. 16 f. 20 D♀  
under a stone near Alexandria  
2. Prothesima p. Cambridge, 1876 p. 552 N  
under a stone near Alexandria  
Z. simplex Denis, 1936 R2a 459 ♂♀ (2)  
Rec: Siwa Oasis  
Ref: 1. Z.s. Denis, 1936 p. 1036 pl. I f. 3 D♂♀ (Algeria)  
2. Z.s. Denis, 1947b pp. 59-60 N Siwa  
Z. tenuis (L.Koch, 1866) R2a 459 ♂ (1), P 495 ♂♀ (1)  
(Z.pallidus) R2a 454 ♂♀ (1) = Z.t. P 489  
Rec: Alexandria  
Ref: 1. Prothesima pallida Cambridge, 1876 p. 553 N  
under stones near Alexandria  
Z. tristiculus (Cambridge, 1874) R2a 460 ♂ (1)  
Rec: Alexandria  
Ref: 1. Prothesima t. Cambridge, 1876 p. 552 N  
under a piece of rock near Alexandria

Family **Hersiliidae**

Genus **Hersilia** Savigny, 1825

H. caudata Savigny, 1825 (T) R1 381 ♂ (6)

Rec: Cairo to Assuan

Ref: 1. H.c. Audouin, 1825 p.115 pl.1 f.8 Dq near Cairo

2. H.c. Cambridge, 1876 pp.560-2 pl.58 f.6 D<sub>9</sub>  
Cairo to Assouan

3. H.c. Simon, 1882 pp. 227-8 D<sup>o</sup> Cairo

4. H.c. Simon, 1907 p. 5 N Cairo



Genus *Hersiliola* Thorell, 1870

*H. lucasi* (Cambridge, 1876) R1 383 ♂♀ (2)

Rec: Alexandria

Ref: 1. *Hersilidia* 1. Cambridge, 1876 pp. 562-4 pl. 58 f. 5 D♂  
under stones in desert between Alexandria and Ramleh  
2. *Hersilidia* 1. Caporiacco, 1928 p. 90 N Egypt

Family *Heteropodidae*

Genus *Cebrennus* Simon, 1880

*C. aethiopicus* Simon, 1880 R2a 688 ♂ (2) Nubien

Rec: ---

*C. sparassoides* Caporiacco, 1928 R2a 688 ♂ (1)

Rec: ---

Ref: 1. C.s. Caporiacco, 1928 pp. 94-5 f. 6 D♂ (Porto Bardia)

Genus *Cerbalus* Simon, 1897

*C. concolor* Denis, 1947 R2a 688 ♂ (1)

Rec: Siwa Oasis

Ref: 1. C.c. Denis, 1947b pp. 52-3 pl. 3 f. 1-3 D♂  
Siwa, near Zeitoun, sand dunes  
2. C.c. Kritscher, 1960 p. 272 Nd

*C. pellitus* Kritscher, 1960 B 593 ♂ (1)

Rec: Fayed (near Suez)

Ref: 1. C.p. Kritscher, 1960 pp. 272-4 f. 1-2 D♂ Fayed, sand dunes  
*C. pulcherrimus* (Simon, 1880) (T) R2a 689 ♀ (4)

Rec: Assuan, Wadi Natron

Ref: 1. C.p. Strand, 1908b pp. 9-10 D♂ (immature ♂) Wadi-Natron  
2. C.p. Kritscher, 1960 pp. 274-8 f. 3-5 D♂♀ Assuan

Genus *Eusparassus* Simon, 1903

*E. bicorniger* (Pocock, 1898) R2a 674 oo (2) Egypt

Rec: ---

*E. cognatus* (Cambridge, 1876) R2a 672 oo (1)

Rec: Cairo, Upper Egypt

Ref: 1. *Sparassus* c. Cambridge, 1876 p. 588 Doo  
near Cairo and in Upper Egypt

*E. dufouri* Simon, 1932 (T) R2a 672-3 ♂♀ (9)

Rec: ---

Ref: 1. *Sparassus argelasii* Pavesi, 1878 p. 381 N Egypt

*E. d. oraniensis* (Lucas, 1846) R2a 673 ♂♀ (7)

Rec: Siwa Oasis

Ref: 1. E.d.o. Denis, 1947b pp. 49-50 pl. 2 f. 12 Nd Siwa  
*E. suavis* (Cambridge, 1876) R2b 1658 nicht zu  
deuten!

Rec: Upper Egypt

Ref: 1. *Sparassus* s. Cambridge, 1876 pp. 588-590 D♂♀  
at the roots of scattered tufts of herbage on the  
desert near Gebel y Silsilis, in Upper Egypt

*E. walckenaerii* (Audouin, 1825) R2a 674 ♂♀ (9)

Rec: Cairo, Sinai, Siwa Oasis, Wadi Natron

Ref: 1. *Philodromus* w. Audouin, 1825 pp. 159-160 pl. 6 f. 1 D♂  
2. *Philodromus linnaei* Audouin, 1825 pp. 160-1 pl. 6 f. 2 D♂  
3. *Sparassus linnaei* Cambridge, 1870 p. 819 N  
Hot springs, Pharaoh's Baths, Cairo (Sinai)  
4. *Sparassus* w. Cambridge, 1872a p. 311 N under stones;  
on board the Nile boat (Dahabeah)

5. *Sparassus* w. Cambridge, 1876 pp. 587-8 N under stones;  
on board the Nile boat (Dahabeah)
  6. *Sparassus* w. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
  7. E.w. Simon, 1907 p. 7 N Cairo
  8. E.w. Strand, 1908b pp. 24-5 D♂ Bir-Hooker (Wadi Natron)
  9. E.w. Denis, 1947b pp. 50-1 pl. 2 f. 14-16 N♂ Siwa
- Genus *Olios* Walckenaer, 1837  
O. impediens Denis, 1947 R2a 692 ♀ (1)  
 Rec: Siwa Oasis  
 Ref: 1. O.i. Denis, 1947b p. 52 pl. 2 f. 17 D♀  
 Siwa, Ilrhabit Uncorde
- Genus *Palystes* L. Koch, 1875  
P. crucifer Simon, 1880 R2a 727 ♀ (2) (Port Said?)  
 Rec:---

# Family Linyphiidae

- Genus *Bathypantes* Menge, 1866  
B. extricatus (Cambridge, 1876) R1 569 ♂♀ (2)  
 Rec: Alexandria, Cairo  
 Ref: 1. Linyphia e. Cambridge, 1876 pp. 572-3 pl. 59 f. 7 D♂  
 on plants and shrubs, at Cairo and Alexandria
- Genus *Erigone* Savigny, 1825  
E. dentipalpis (Wider, 1834) R1 722 ♂♀ (16)  
 Rec:---  
 Ref: 1. E.d. Denis, 1948 p. 588 N Egypt
- Genus *Gnathonarium* Karsch, 1881  
G. dentatum (Wider, 1834) (T) R1 654 ♂♀ (23)  
G. d. orientale Cambridge, 1872 R1 654 ♂♀ (1)  
 Rec:---  
 Ref: 1. *Erigone* d.o. Cambridge, 1872a p. 290 D♂♀ Egypt
- Genus *Meioneta* Hull, 1920  
M. rurestris (C.L. Koch, 1836) R1 518 ♂♀ (16)  
 Rec: Alexandria  
 Ref: 1. *Erigone* r. Simon, 1880a p. 48 N near Alexandria
- Genus *Prinerigone* Millidge, 1988  
P. vagans (Savigny, 1825) (T)  
 (*Erigone* v.) (T) R1 724 ♂♀ (13)  
 Rec: Alexandria, Cairo, Wadi Natron  
 Ref: 1. *Erigone* v. Audouin, 1825 pp. 116-7 pl. 1 f. 9 D♂  
 gardens of Cairo  
 2. *Erigone* spinosa Cambridge, 1872a p. 292 pl. 13 f. 12 D♂  
 Cairo and Alexandria  
 3. *Erigone* spinosa Cambridge, 1876 p. 572 N♂  
 running on the metals and permanent way of  
 the railroad near Cairo and Alexandria  
 4. *Erigone* v. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
 5. *Erigone* v. spinosa Denis, 1948 pp. 588-590 N
- Genus *Silometopus* Simon, 1914  
S. curtus (Simon, 1881) R1 680 ♂ (4) Egypt  
 Rec:---  
 Genus *Tapinocyba* Simon, 1884  
T. alexandrina (Cambridge, 1872) R1 701 ♂♀ (4)  
 Rec: Alexandria  
 Ref: 1. *Erigone* a. Cambridge, 1872b pp. 755-6 pl. 65 f. 11 D♂  
 among water-weeds in a swamp near Alexandria  
 2. *Erigone* a. Cambridge, 1876 p. 572 N♂ on rushes and  
 other plants growing in a marsh near Alexandria



Family **Liocranidae**Genus **Mesiotelus** Simon, 1897M. alexandrinus (Simon, 1880) R2a 566 ♀ (1)

Rec: Edko (near Alexandria)

Ref: 1. Liocranum a. Simon, 1880c p. 99 D♀ Edko near Alexandria

M. tenuissimus (L. Koch, 1866) (T) R2a 567 ♂♀ (10)

Rec: Alexandria

Ref: 1. Cheiracanthium t. Cambridge, 1876 p. 553 N Alexandria

2. Chiracanthium t. Pavesi, 1878 p. 377 N Egypt

Family **Loxoscelidae**Genus **Loxosceles** Heineken & Lowe, 1835L. rufescens (Dufour, 1820) (T) R1 319 ♂♀ (17)

Rec: Alexandria, Cairo, Siwa Oasis

Ref: 1. Scytodes r. Audouin, 1825 pp. 153-4 pl. 5 f. 2 D♀

2. L. r. Cambridge, 1876 p. 564 N near Cairo and Alexandria

3. L. erythrocephala Pavesi, 1878 p. 373 N Egypt

4. L. r. Simon, 1910 p. 307 N Egypt

5. L. r. Denis, 1947b p. 26 N ♂♀ Siwa Oasis

Family **Lycosidae**Genus **Allocosa** Banks, 1900A. deserticola (Simon, 1898) R2a 201 ♀ (1)

Rec: Saqqarah (near Gizah)

Ref: 1. Lycosa d. Simon, 1898 p. 28 D♀ Saqqarah desert

A. sennaris Roewer, 1959 B 434 ♀ (1) Egypt

Rec: ---

A. tarentulina (Savigny, 1825) R2a 202 ♂♀ (5)

Rec: Alexandria

Ref: 1. Lycosa t. Audouin, 1825 pp. 143-5 pl. 4 f. 2 D ♂♀

near Alexandria

2. Tarentula t. Cambridge, 1876 p. 601 N near Alexandria  
in their cylindrical holes on waste and desert places

3. Lycosa t. Simon, 1880a N near Alexandria

A. tremens (Cambridge, 1876) R2a 202 ♂♀ (3)

Rec: Alexandria

Ref: 1. Tarentula t. Cambridge, 1876 pp. 602-3 D♀ near Alexandria

Genus **Alopecosella** Roewer, 1954A. pelusiaca (Savigny, 1825) R2a 225 ♀ (3)

Rec: El Manzalah

Ref: 1. Lycosa p. Audouin, 1825 p. 148 pl. 4 f. 8 D♀

on shores of Menzaleh lake

Genus **Arctosa** C. L. Koch, 1848A. cinerea (Fabricius, 1776) (T) R2a 227-8 ♂♀ (47)

Rec: Sinai, Siwa Oasis, Upper Egypt, Wadi Natron

Ref: 1. Lycosa pilipes Cambridge, 1870 p. 819 N

Wady Gherandel, peninsula Sinai, Nasb, Genneh,  
Jebel Musa, and at Pharaoh's Baths, Cairo2. Trochosa pilipes Cambridge, 1876 p. 600 N under stones on  
the damp sandy flats bordering the Nile in Upper Egypt

3. Lycosa c. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

4. A. c. Denis, 1947b pp. 35-6 N Sitra

A. depuncta (Cambridge, 1876) R2a 225 ♂♀ (2)

Rec: Alexandria

Ref: 1. Trochosa d. Cambridge, 1876 p. 600 D ♂♀ near Alexandria

- A. leopardus (Sundevall, 1832) P 364 ♂ (1)  
(Megarctosa l.) R2a 277-8 ♂ (25)  
Rec: Alexandria  
Ref: 1. Pirata l. Cambridge, 1876 p. 598 N in a marsh,  
near Alexandria
- A. quadripunctata (Lucas, 1846) R2a 227 ♂ (3)  
Rec: Siwa Oasis  
Ref: 1. A. q. Denis, 1947b p. 36 pl. 1 f. 9-10 D♂  
Siwa, Aghourmih salt marsh, Abu Sheruf,  
Baharein: East Lake shore
- Genus **Aulonia** C. L. Koch, 1848  
A. wernerii Roewer, 1960 B 441 ♀ (1) Egypt  
Rec: ---
- Genus **Crocodylosa** Caporiacco, 1947  
C. virulenta (Cambridge, 1876) R2a 238 ♂ (1)  
Rec: Cairo  
Ref: 1. Trochosa v. Cambridge, 1876 pp. 600-1 D♂ near Cairo
- Genus **Evipa** Simon, 1882  
E. arenaria (Savigny, 1825) (T) R2a 154 ♀ (5)  
Rec: Rosetta  
Ref: 1. Lycosa a. Audouin, 1825 p. 146 pl. 4 f. 3 D♀  
from the desert near Rosetta
- E. peregrina (Savigny, 1825) R2a 154 ♀ (2)  
Rec: Rosetta  
Ref: 1. Lycosa p. Audouin, 1825 p. 146 pl. 4 f. 4 D♀  
near Rosetta
- E. praelongipes (Cambridge, 1870) R2a 155 ♂ (3)  
Rec: Sinai  
Ref: 1. Lycosa p. Cambridge, 1870 pp. 822-3 pl. 50 f. 3 D♂  
Wady Nasb, Genneh, near Jebel Musa, peninsula Sinai  
2. E. p. Caporiacco, 1928 p. 97 N Sinai
- E. unguolata (Cambridge, 1876) R2a 155 ♀ (5)  
Rec: Assuan, Luxor, Siwa Oasis, (Upper Egypt)  
Ref: 1. Lycosa u. Cambridge, 1876 pp. 603-4 D♀ immature  
at the roots of stunted herbage on the desert  
near Jebel y Silsilis, in Upper Egypt  
2. E. u. Simon, 1882 p. 223 N Assouan, Thebes  
(widely distributed in Upper Egypt)  
3. E. u. Denis, 1947b p. 39 pl. 1 f. 14 N♀ Gagub
- Genus **Geolycosa** Montgomery, 1904  
G. urbana (Cambridge, 1876) R2a 241-2 ♂ (7)  
Rec: Alexandria, Siwa Oasis  
Ref: 1. Lycosa agretica Audouin, 1825 p. 147 pl. 4 f. 6 D♀  
on the banks of the canal of Alexandria  
2. Trochosa u. Cambridge, 1876 p. 601 pl. 60 f. 14 D♂ among  
low plants and other herbage in a marsh near Alexandria  
3. Trochosa u. Pavesi, 1883 pp. 68-69 N Egypt  
4. Lycosa u. Simon, 1907 p. 8 N very common in Egypt  
5. Lycosa u. Denis, 1947b pp. 32-4 pl. 1 f. 6, 7 N♂ Siwa,  
Ultahu Hirfol, Anas Yutra, Tarterad Hamid Bakour
- Genus **Hippasa** Simon, 1885  
H. innesi Simon, 1889 R2a 311 ♀ (1)  
Rec: Cairo, Suez  
Ref: 1. H. i. Simon, 1889 pp. 378-9 D♀ Suez, Cairo





2. *Trochosa maculata* L.Koch, 1875 pp.78-80 pl.7 f.5 Dq  
(Habab, Abyssinea)
  3. *Trochosa lactea* L.Koch, 1875 pp.80-82 pl.7 f.6 Dq  
(Habab, Abyssinea)
  4. O.a. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)  
*O. \_\_\_\_\_ pelliona* (Savigny, 1825) R2a 280 q (4)
- Rec: Rosetta  
Ref: 1. *Lycosa* p. Audouin, 1825 pp.146-7 pl.4 f.5 Dq  
near Rosetta
- Genus *Orinocosa* Chamberlin, 1916  
*O. \_\_\_\_\_ priesneri* Roewer, 1959 B 451 ♂ (1) Egypt
- Rec: ---
- Genus *Orthocosa* Roewer, 1954  
*O. \_\_\_\_\_ ambigua* (Denis, 1947) R2a 281 q (1)
- Rec: Siwa Oasis  
Ref: 1. *Arctosa* a. Denis, 1947b p.34 pl.1 f.8 Dq  
Siwa, Sitra, Ilrhabit Reseur.
- Genus *Pardosa* C.L.Koch, 1848  
*P. \_\_\_\_\_ iniqua* (Cambridge, 1876) R2a 164 q (1)
- Rec: Alexandria  
Ref: 1. *Lycosa* i. Cambridge, 1876 pp.605-6 Dq under a stone  
near Alexandria  
*P. \_\_\_\_\_ injucunda* (Cambridge, 1876) R2a 177 ♂q (4)
- Rec: Alexandria, Cairo, Siwa Oasis  
Ref: 1. *Lycosa* i. Cambridge, 1876 p.605 pl.60 f.15 D♂q  
near Cairo and Alexandria  
2. P.i. Denis, 1947b p.39 N Girba, Khamissa, Zeitoun  
*P. \_\_\_\_\_ inopina* (Cambridge, 1876) R2a 177 ♂q (2)
- Rec: Alexandria, Wadi Natron  
Ref: 1. *Lycosa* i. Cambridge, 1876 pp.607-8 pl.60 f.16 D♂q  
common near Alexandria  
2. P.i. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)  
*P. \_\_\_\_\_ inquieta* (Cambridge, 1876) R2a 164 ♂ (1)
- Rec: Alexandria  
Ref: 1. *Lycosa* i. Cambridge, 1876 pp.606-7 D♂ near Alexandria  
*P. \_\_\_\_\_ observans* (Cambridge, 1876) R2a 169 ♂q (2)
- Rec: Alexandria  
Ref: 1. *Lycosa* o. Cambridge, 1876 pp.608-9 D♂q near Alexandria  
*P. \_\_\_\_\_ serena* (L.Koch, 1875) R2a 173 o (1)
- Rec: Cairo  
Ref: 1. *Lycosa* s. Koch, 1875 pp.71-2 Do (immature q) near Cairo
- Genus *Pirata* Sundevall, 1833  
*P. \_\_\_\_\_ proxima* Cambridge, 1876 R2a 284 q (1)
- Rec: Alexandria  
Ref: 1. P.p. Cambridge, 1876 pp.598-9 Dq in a swamp  
near Alexandria
- Genus *Trochosa* C.L.Koch, 1846  
*T. \_\_\_\_\_ annulipes* L.Koch, 1875 R2a 304 q (2)
- Rec: Cairo  
Ref: 1. T.a. Koch, 1875 pp.77-8 pl.7 f.4 Dq near Cairo  
2. T.a. Pavesi, 1883 p.69 N Egypt



Genus **Wadicosa** Zyuzin, 1985

- W. venatrix (Lucas, 1846) P 392 ♂♀ (2)  
 (Pardosa fidelis) R2a 175 ♂ (1)  
 (Pardosa v.) R2a 178 ♂♀ (6)  
 (Pardosa kraepelini) B 453 ♂♀ (1)

Rec: Alexandria, Assuan, Cairo, Siwa Oasis, Suez, Wadi Natron

- Ref: 1. *Lycosa fidelis* Cambridge, 1872a pp. 319-320 D♂  
 found abundantly near Cairo  
 2. *Lycosa galerita* Koch, 1875 pp. 69-71 pl. 7 f. 1 D♂  
 near Cairo  
 3. *Lycosa fidelis* Cambridge, 1876 pp. 604-5 N frequent  
 both in the neighbourhood of Cairo and Alexandria  
 4. *Pardosa v.* Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
 5. *Pardosa v.* Simon, 1907 p. 9 N Cairo, Assuan  
 6. *Pardosa v.* Denis, 1947b pp. 37-8 pl. 1 f. 11-13 N♂♀  
 Siwa, Abu Sheruf, Maragi, Baharein: East Lake shore  
 [Suez: Simon, 1876]

Family **Mimetidae**Genus **Mimetus** Hentz, 1832

- M. monticola (Blackwall, 1870) R1 1020 ♀ (3)

Rec: Cairo

- Ref: 1. *M. m.* Cambridge, 1876 p. 571 N on a prickly-pear plant  
 near Cairo

Family **Mysmenidae**Genus **Synaphris** Simon, 1894

- S. letourneuxi (Simon, 1884) R1 394 ♂ (2)

Rec: ---

- Ref: 1. *S. l.* Simon, 1894 Hist. Nat. Ar., I(3) p. 589 N Egypt

Family **Decobiidae**Genus **Decobius** Lucas, 1846

- D. annulipes Lucas, 1846 R2b 1288 ♂♀ (13)

Rec: Alexandria, Upper Egypt

- Ref: 1. *D. teliger* Cambridge, 1872a p. 221 pl. 13 f. 8 D♂♀ on stones  
 2. *D. affinis* Cambridge, 1872a pp. 221-2 D♂♀ on stones  
 3. *D. albipunctatus* Cambridge, 1872a p. 222 D♀ on stones  
 4. *D. a.* Cambridge, 1876 p. 546 N under a stone, Upper Egypt  
 5. *D. a.* Simon, 1910 p. 285 N Egypt, under stones,  
 sometimes in houses  
 6. *D. a.* Hassan, 1953 pp. 21-4 f. 3 D♂♀ Egypt  
 7. *D. a.* Kritscher, 1966 pp. 285-7 f. 1-3 D♂♀  
 8. *D. a.* Brignoli, 1979 p. 123 N on a wall  
 Bacos, Ramleh near Alexandria

- D. a. maculatus Simon, 1870 R2b 1288 ♂♀ (6)

Rec: Gizah

- Ref: 1. *D. trimaculatus* Cambridge, 1872a p. 219-221 pl. 13 f. 7 D♂♀  
 2. *D. m.* Simon, 1910 p. 285 N Egypt  
 3. *D. a. m.* Hassan, 1953 pp. 24-7 f. 4 D♂♀  
 near pyramids of Giza

- D. putus Cambridge, 1876 R2b 1289 ♂♀ (3)

Rec: Cairo, Gizah, Upper Egypt

- Ref: 1. *D. p.* Cambridge, 1876 pp. 544-5 pl. 58 f. 1 D♂♀  
 on the walls of one of the temples of Upper  
 Egypt, between Denderah and Assuan

2. D.p. Simon, 1907 p.1 N Cheops pyramid, near Cairo
3. D.p. Simon, 1910 p.285 N Temple of Philae, Cairo  
in houses and under stones
4. D.p. Hassan, 1953 pp.19-21 f.2 D♂♀ Egypt
5. D.p. Kritscher, 1966 pp.290-1 f.11,12 D♂  
Upper Egypt, ruins of Temple of Philae
- D. \_\_\_\_\_ templi Cambridge, 1876 R2b 1289 ♂♀ (2)

Rec: Upper Egypt (near Assuan)?

- Ref: 1. D.t. Cambridge, 1876 pp.545-6 pl.58 f.2 D♂♀ among  
the ruins of the Temple of Philae, in Upper Egypt?
2. D.t. Simon, 1910 p.286 N Egypt
  3. D.t. Hassan, 1953 pp.16-9 f.1 D♂♀ Egypt
  4. D.t. Kritscher, 1966 p.293-4 f.19-21 D♂♀ Egypt
  5. D.t. Brignoli, 1979 pp.124-5 f.1-4 N♂♀ Egypt

#### Family Donopidae

Genus **Dysderina** Simon, 1891

D. \_\_\_\_\_ scutata (Cambridge, 1876) R1 282 ♂♀ (1)

Rec: Alexandria

- Ref: 1. Donops s. Cambridge, 1876 pp.547-9 pl.58 f.2A D♂♀  
under stones, near Alexandria
2. D.s. Simon, 1910 p.310 N Alexandria

Genus **Gamasomorpha** Karsch, 1881

G. \_\_\_\_\_ arabica Simon, 1893 R1 284 ♂ (1)

Rec: Ain-Musa (near Suez)

- Ref: 1. G.a. Simon, 1893 pp.302-3 D♂ Ain-Mouça, near Suez!
2. G.a. Simon, 1910 p.309 N Ain-Mouça, near Suez!
- G. \_\_\_\_\_ margaritae Denis, 1947 B 183 ♀ (1)

Rec: Siwa Oasis

- Ref: 1. G.m. Denis, 1947b p.83 pl.4 f.13-15 D♀ Siwa

Genus **Opopaea** Simon, 1891

O. \_\_\_\_\_ punctata (Cambridge, 1872) R1 288 ♂♀ (4)

Rec: Ain-Musa (near Suez), Alexandria

- Ref: 1. Donops p. Cambridge, 1872a pp.223-4 pl.14 f.3A D♂
2. D.p. Simon, 1910 p.309 N Alexandria, Ain-Mouça

Genus **Sulsula** Simon, 1882

S. \_\_\_\_\_ paupera (Cambridge, 1876) R1 281 ♂♀ (4)

Rec: Alexandria

- Ref: 1. Donops p. Cambridge, 1876 pp.549-550 D♀ Alexandria  
under a stone
2. S.p. Simon, 1910 p.308 N Alexandria

#### Family Oxyopidae

Genus **Oxyopes** Latreille, 1804

O. \_\_\_\_\_ bilineatus Cambridge, 1876 R2a 318 o (1)

Rec: Cairo

- Ref: 1. D.b. Cambridge, 1876 p.609 Do (immature o)  
on branches of the sont acacia, near Cairo

O. \_\_\_\_\_ heterophthalmus (Latreille, 1804) (T) R2a 318 ♂♀ (20)

Rec: Alexandria, Cairo, Sinai

- Ref: 1. Sphasus alexandrinus Audouin, 1825 pp.142-3 pl.4 f.1 D♀  
from the desert, near Alexandria
2. Sphasus alexandrinus Cambridge, 1870 p.819 N  
Jebel Musa, peninsula Sinai
  3. D.alexandrinus Cambridge, 1876 p.609 N near Cairo  
on branches of the sont acacia



- O. lineatus Latreille, 1806 R2a 319 ♂♀ (16)  
 Rec: ---  
 Ref: 1. O.l. Pavesi, 1878 p.387 N Egypt  
 Genus Peucetia Thorell, 1869  
P. arabica Simon, 1882 R2a 334-5 ♂♀ (6)  
 Rec: Cairo, Siwa Oasis, Suez  
 Ref: 1. P.a. Simon, 1907 p.9 N Cairo  
 2. P.a. Denis, 1947b pp.39-40 pl.1 f.15 Nq Siwa  
 [Djebel Ataka near Suez : Simon, 1890]  
P. viridis (Blackwall, 1858) (T) R2a 335 ♂♀ (6)  
 Rec: Sinai  
 Ref: 1. Pasithea v. Cambridge, 1870 p.819 N Jebel Musa, pen. Sinai

# Family Palpimanidae

- Genus Palpimanus Dufour, 1820  
P. aegyptiacus Kulczynski, 1909 R1 377 ♂ (1)  
 Rec: ---  
 Ref: 1. P.a. Platnick, 1981 pp.170-2 f.2,11 N♂♀ Egypt  
 [♂ holotype, MNHN Paris, from Egypt]  
P. gibbulus Dufour, 1820 (T) R1 378 ♂♀ (10)  
 Rec: Alexandria, Cairo to Luxor, Nubia  
 Ref: 1. Platyscelum savignyi Audouin, 1825 pp.167-8 pl.7 f.6,7  
 D♂(♀)  
 2. P. haematinus Cambridge, 1876 p.554 Nq near Alexandria  
 3. P. savignyi Cambridge, 1876 p.554 Nq ascending the Nile  
 from Cairo to Thebes  
 4. P.g. Pavesi, 1878 p.389-390 N Egypt  
 5. P.g. Simon, 1882 p.228 N Nubia  
 6. P.g. Platnick, 1981 pp.170-2 f.1,10 N♂♀  
P. uncatus Kulczynski, 1909 R1 378 ♂ (1)  
 Rec: ---  
 Ref: 1. P.u. Platnick, 1981 pp.170,172 f.4,13 D♂♀ Egypt  
 [4♂♂ syntypes, MNHN Paris, from Egypt]

# Family Philodromidae

- Genus Philodromus Walckenaer, 1825  
P. bigibbus (Cambridge, 1876) R2a 782 ♀ (2)  
 Rec: Alexandria, Assuan  
 Ref: 1. Artanes b. Cambridge, 1976 p.590 D♂(immature ♀)  
 among herbage, near Alexandria  
 2. P.b. Simon, 1907 p.7 N Elephantine (on Acacia nilotica)  
P. cinereus Cambridge, 1876 R2a 773 ♀ (1)  
 Rec: Cairo  
 Ref: 1. P.c. Cambridge, 1876 pp.494-5 D♀ near Cairo  
P. clerckii Audouin, 1825 R2b 1623 nicht zu  
 deuten!  
 Rec: ---  
 Ref: 1. P.c. Audouin, 1825 p.159 pl.5 f.10 D♀  
P. denisi Levy, 1977  
 Rec: Siwa Oasis  
 Ref: 1. Thanatus albini Denis, 1947b p.58 pl.4 f.2,3 D♂♀  
 Baharein, East Lake shore  
 2. P.d. Levy, 1977 p.214 N (nomen novum)

- P. glaucus Simon, 1870 R2a 776 ♂♀ (4)  
Rec: Siwa Oasis, Upper Egypt  
Ref: 1. P. medius Cambridge, 1876 p. 594 N upon the lower boughs  
of the sont acacia, in Upper Egypt  
2. P.g. Denis, 1947b p. 57 N Siwa  
3. P.g. Levy, 1977 pp. 200-3 f. 14-18 D♂♀  
P. lepidus Blackwall, 1870 R2a 782 ♂♀ (3)  
Rec: Assuan, Cairo, wadi Natron  
Ref: 1. P.l. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
2. P.l. Simon, 1907 p. 7 N Cairo; Elephantine  
(on Acacia nilotica)  
P. lugens (Cambridge, 1876) R2a 778 o (2)  
Rec: Alexandria  
Ref: 1. Artanes l. Cambridge, 1876 p. 591 Do (immature ♀)  
near Alexandria  
P. omer-cooperi Denis, 1947 R2a 778 ♂ (1)  
Rec: Siwa Oasis  
Ref: 1. P.o. Denis, 1947b p. 56 pl. 3 f. 4 D♂ Shiata  
P. sinaiticus Levy, 1977 B 600 ♀ (1)  
Rec: Sinai  
Ref: 1. P.s. Levy, 1977 pp. 204-5 f. 21, 22 D♀  
'En Higiya, Wadi Kid, Wadi Madsus  
P. venustus Cambridge, 1876 R2a 780 ♂♀ (1)  
Rec: Cairo to Manfalut  
Ref: 1. P.v. Cambridge, 1876 pp. 595-6 pl. 59 f. 12 D♂♀  
on the branches of the sont acacia, during the  
ascent of the Nile, between Cairo and Manfaloot  
Genus Thanatus C.L.Koch, 1837  
T. albescens Cambridge, 1885 R2a 796 ♂♀ (2)  
Rec: Sinai  
Ref: 1. T. fornicatus Levy, 1977 pp. 224-6 f. 59, 60 D♀  
Sinai! near General Parker Memorial  
T. albin (Audouin, 1825) R2a 790 ♂ (4)  
Rec: Cairo  
Ref: 1. Philodromus a. Audouin, 1825 p. 161 pl. 6 f. 4 D♂  
2. T.a. Cambridge, 1876 p. 591 N among low herbage and  
running on bare spots, in various parts of Egypt  
3. T.a. Simon, 1907 p. 7 N Cairo  
4. T. vulgaris Levy, 1977 pp. 214-8 F. 43-47 D♂♀  
T. fabricii (Audouin, 1825) R2a 791 ♂♀ (4)  
Rec: Alexandria, Siwa Oasis  
Ref: 1. Philodromus f. Audouin, 1825 p. 161 pl. 6 f. 3 D♂  
2. Philodromus adjacens Cambridge, 1876 pp. 592-4 pl. 59 f. 11  
D♂♀ in desert places near Alexandria ("very difficult  
to be seen except when moving, owing to the exact adapt-  
ation of their colours to the surface of the ground")  
3. T.f. Denis, 1947b p. 57-8 pl. 2 f. 18, pl. 3 f. 5, 6 D♂♀  
Siwa, Gara  
4. T. adjacens Denis, 1947b p. 58 N Siwa  
5. T.f. Levy, 1977 pp. 219-222 f. 50-54 D♂♀  
T. flavescens Cambridge, 1876 R2a 791 o (1)  
Rec: Cairo  
Ref: 1. T.f. Cambridge, 1876 p. 592 Do (immature ♂♀)  
on a low bush near Cairo



T. \_\_\_\_\_ flavus Cambridge, 1876 R2a 791 ♀ (1)  
Rec: Alexandria  
Ref: 1. T.f. Cambridge, 1876 p.592 D♀ on low plants in a marsh near Alexandria  
2. T.f. Pavesi, 1883 p.57 N Egypt  
T. \_\_\_\_\_ formicinus (Clerck, 1757) R2a 794-5 ♂♀ (39)  
Rec: ---  
Ref: 1. Philodromus rhombiferens Audouin, 1825 pp.161-2 pl.6 f.5 D♀  
Genus **Tibellus** Simon, 1875  
T. \_\_\_\_\_ lesserti Roewer, 1951 R2a 798 ♀ (3)  
Rec: Cairo  
Ref: 1. Thanatus lineatipes Cambridge, 1876 pp.591-2 D♀ on a low plant near Cairo  
T. \_\_\_\_\_ vossioni Simon, 1884 R2a 800 ♂♀ (4)  
Rec: Siwa Oasis  
Ref: 1. T.v. Denis, 1947b pp.58-9 N♀ El Arig

Family Pholcidae

Genus **Artema** Walckenaer, 1837

A. atlanta Walckenaer, 1837 (T) R1 334 ♂♀ (8)  
(A. mauriciana) R1 333 ♂♀ (7)  
(A. sisypoides) R1 334 ♂♀ (6)  
(A. kochii) R1 334 ♀ (2)

Rec: Cairo, Siwa Oasis, Wadi Natron

Ref: 1. Pholcus borbonicus Koch, 1875 pp. 25-6 pl. 3 f. 1 D♀  
surroundings of Cairo

2. Pholcus borbonicus Simon, 1882 p. 234 N  
distributed abundantly in all Egypt

3. A. mauriciana Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

4. A. mauriciana Denis, 1947b pp. 26-7 N ♂♀ Siwa

5. A. a. Brignoli, 1981 pp. 92-3 f. 1-7 D ♂♀  
surroundings of Cairo

Genus **Crossopriza** Simon, 1893

C. semicaudata (Cambridge, 1876) R1 334 ♂♀ (3)

Rec: Cairo to Luxor

Ref: 1. Pholcus s. Cambridge, 1876 pp. 565-6 D ♂♀  
Upper Egypt: Cairo to Thebes and above

2. Holocnemus s. Simon, 1907 p. 5 N surroundings of Cairo,  
and in the plain of Thebes (after Cambridge)

3. C. s. Denis, 1944 p. 48 N Louksor

Genus **Holocnemus** Simon, 1875

H. pluchii (Scopoli, 1763) R1 335 ♂♀ (17)

Rec: Alexandria, Cairo, Sinai (southern)

Ref: 1. Aranea p. Scopoli, 1763 p. 404 D

2. Aranea rivulata Forskål, 1775 p. 86 D Cairo

3. Pholcus rivulatus Audouin, 1825 pp. 140-1 pl. 3 f. 12 D♂  
Cairo, inside houses

4. Pholcus rivulatus Cambridge, 1870 p. 819 N  
Convent gardens and back of Mount Sinai

5. Pholcus rivulatus Koch, 1875 p. 25 N  
surroundings of Cairo

6. Pholcus rivulatus Cambridge, 1876 pp. 566-7 N ♂♀ (D♂)  
Alexandria and Cairo

7. Pholcus rivulatus Pavesi, 1878 p. 372 N Egypt

8. *Holocnemus rivulatus* Simon, 1899 p.244 N  
Bir-Hooker (Wadi Natron)
9. *Holocnemus rivulatus* Strand, 1908c p.93 N  
Bir-Hooker (Wadi-Natron)
10. *Holocnemus pluchei* Denis, 1947b p.27 N♂ Siwa
- Genus **Micropholcus** Deeleman-Reinhold & Prinsen, 1987
- M. fauroti* (Simon, 1887) (T) P 133 ♂♀ (1)  
(*Pholcus* f.) R1 340 ♂♀ (1)

Rec:---

- Ref: 1. M.f. Deeleman-Reinhold & Prinsen, 1987 pp.73-6 f.1-9  
D♂♀ Egypt

Genus **Pholcus** Walckenaer, 1805

- P. phalangioides* (Fuesslin, 1775) R1 338-9 ♂♀ (24)

Rec: Alexandria

- Ref: 1. P.p. Audouin, 1825 pp.141-2 pl.3 f.13 D♂♀ Alexandria
2. P.p. Pavesi, 1878 p.372 N Egypt

#### Family **Pisauridae**

Genus **Nilus** Cambridge, 1876

- N. curtus* Cambridge, 1876 (T) R2a 116 o (2)

Rec: Alexandria

- Ref: 1. N.c. Cambridge, 1876 pp.596-7 pl.60 f.13 Do (immature ♀)  
on rushes in a marsh, near Alexandria

Genus **Pisaura** Simon, 1885

- P. mirabilis* (Clerck, 1757) (T) R2a 119-120 ♂♀ (46)  
Palearctic

Rec:---

- Ref: 1. *Aranea listeri* Scopoli, 1763 p.397 D

Genus **Rothus** Simon, 1898

- R. atlanticus* Simon, 1898 R2a 122 ♀ (2)

Rec: Siwa Oasis

- Ref: 1. R.a. Simon, 1898 p.14 D♀
2. R.a. Denis, 1947b p.31 N Siwa

Genus **Thalassius** Simon, 1883

- T. pallidus* (L.Koch, 1875) R2a 149 ♀ (5) Egypt

Rec:---

- Ref: 1. *Ctenus* p. Koch, 1875 pp.84-5 pl.7 f.7 D♀ (Abyssinea)

#### Family **Prodidomidae**

Genus **Prodidomus** Hentz, 1847

- P. amaranthinus* (Lucas, 1846) R2a 344 ♂♀ (8)  
(*P. diversus*) R2a 344 ♂ (2)  
(*P. letourneuxi*) R2a 344 ♂♀ (4)

Rec: Alexandria, Cairo

- Ref: 1. *Miltia* a. Cambridge, 1872 pp.218-9 D♂
2. *Miltia diversa* Cambridge, 1872 p.219 D♂
3. *P. letourneuxi* Simon, 1907 p.3 N Cairo, Alexandria
4. P.a. Dalmas, 1918 pp.301-3 f.1,6,8,18,22 D♂♀
5. *P. diversus* Dalmas, 1918 pp.303-4 N♂
6. *P. letourneuxi* Dalmas, 1918 p.304 f.9,10 D♂ (immature ♀)  
Alexandria and Cairo
7. P.a. Cooke, 1964 pp.267-9 f.3,4,8,27 D♂♀

Genus **Zimirina** Dalmas, 1918

- Z. vastitatis* Cooke, 1964 B 563 ♀ (1)

Rec: Sollum

- Ref: 1. Z.v. Cooke, 1964 pp.291-2 f.21 D♀ under stones on very  
arid ground near the shore, Sollum, N.W.Egypt



Family **Salticidae**Genus **Aelurillus** Simon, 1884A. \_\_\_\_\_ conveniensi (Cambridge, 1872) R2b 1113 ♂♀ (4)

Rec: Siwa Oasis

Ref: 1. Salticus c. Cambridge, 1872a pp. 336-7 D♂

2. A.c. Denis, 1947b pp. 74-5 pl. 6 f. 10 D♀ Siwa

A. \_\_\_\_\_ dorthesii (Audouin, 1825) R2b 1113 ♀ (3)

Rec: Cairo, Wadi Natron

Ref: 1. Attus d. Audouin, 1825 p. 170 pl. 7 f. 9 D♀

2. Aelurops d. Koch, 1875 p. 94 N near Cairo

3. A.d. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

A. \_\_\_\_\_ mallezi Denis, 1947 R2b 1115 ♀ (1)

Rec: Siwa Oasis

Ref: 1. A.m. Denis, 1947b pp. 75-6 pl. 6 f. 11 D♀ Siwa

A. \_\_\_\_\_ monardi (Lucas, 1846) R2b 1116 ♂♀ (6)

Rec: Cairo

Ref: 1. Attus m. Cambridge, 1876 p. 611 N near Cairo

A. \_\_\_\_\_ ogieri (Simon, 1868) R2b 1116 ♂ (4)

Rec: Lower Egypt

Ref: 1. A.o. Simon, 1884 p. 315 N Lower Egypt

Genus **Ballus** C.L. Koch, 1850B. \_\_\_\_\_ piger Cambridge, 1876 R2b 972 ♀ (1)

Rec: Upper Egypt

Ref: 1. B.p. Cambridge, 1876 pp. 609-610 D♀ Upper Egypt

Genus **Bianor** Peckham, 1886B. \_\_\_\_\_ albobimaculatus (Lucas, 1846) R2b 1231 ♂♀ (11)

Rec: Alexandria, Cairo, Siwa Oasis, Suez

Ref: 1. B.a. Simon, 1907 p. 9 N Cairo

2. B.a. Denis, 1947b p. 72 N♂♀ Siwa, Ilrhabit Uncorde  
[Alexandria, Suez : Simon, 1937]Genus **Cosmophasis** Simon, 1901C. \_\_\_\_\_ cincta Denis, 1947 R2b 1150 o♀ (1)

Rec: Siwa Oasis

Ref: 1. C.c. Denis, 1947b pp. 67-8 pl. 4 f. 9 Do♀ (immature ♂)  
Siwa, Ilrhabit UncordeGenus **Eugasmia** Simon, 1902E. \_\_\_\_\_ occidentalis Denis, 1947 R2b 1045 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. E.o. Denis, 1947b pp. 82-3 pl. 5 f. 17, pl. 6 f. 14-15 D♂♀  
Siwa, KhamissaGenus **Euophrys** C.L. Koch, 1834E. \_\_\_\_\_ granulata Denis, 1947 R2b 1174 ♀ (1)

Rec: Siwa Oasis

Ref: 1. E.g. Denis, 1947b p. 70 pl. 5 f. 5 D♀ Siwa

Genus **Festucula** Simon, 1901F. \_\_\_\_\_ vermiformis Simon, 1901 (T) R2b 1257 ♀ (3)

Rec: Alexandria, Suez

Ref: 1. F.v. Simon, 1901 p. 155 D♀ Alexandria, Suez!

Genus **Hasarius** Simon, 1871H. \_\_\_\_\_ adansonii (Audouin, 1825) (T) R2b 997-8 ♂♀ (32)

Rec: Alexandria, Cairo, Ras El-Barr

Ref: 1. Attus a. Audouin, 1825 p. 169 pl. 7 f. 8 D♂

2. Attus tardigradus Audouin, 1825 p. 170 pl. 7 f. 13 D♀

3. Salticus a. Cambridge, 1872a p. 324 N

Alexandria, in a bedroom at a hotel

4. Plexippus a. Cambridge, 1876 p. 622 N at Cairo
5. H.a. Pavesi, 1878 p. 394 N Egypt
6. H.a. El-Hennawy, 1988 p. 21 N inside houses,  
Cairo (Heliopolis), Ras El-Barr

Genus **Heliophanus** C.L.Koch, 1837

H. \_\_\_\_\_ cupreus (Walckenaer, 1802) R2b 1156-7 ♂♀ (37)

Rec: ---

- Ref: 1. Attus c. Audouin, 1825 p. 171 pl. 7 f. 15 D♂  
 2. H.c. Wesołowska, 1986 pp. 215-6 f. 671-683, 894 D♂♀  
H. \_\_\_\_\_ decoratus L.Koch, 1875 R2b 1164 ♂♀ (4)

Rec: Alexandria, Cairo, Siwa Oasis, Suez, Wadi Natron

- Ref: 1. H.d. Koch, 1875 pp. 87-88 pl. 7 f. 8 D♂ near Cairo  
 2. H.d. Cambridge, 1876 p. 624 N among plants on the walls  
 of the fortifications near Alexandria  
 3. H.d. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
 4. H.d. Caporiacco, 1928 p. 101 N Egypt  
 5. H.d. Denis, 1947b p. 68 N Siwa (from tamarisk),  
 Aghourmik salt marsh  
 6. H.d. Wesołowska, 1986 pp. 208-9 f. 549-557, 559-566,  
 570-584, 905 D♂♀ Suez, Siwa near Tamarisk  
H. \_\_\_\_\_ edentulus Simon, 1871 R2b 1158 ♂ (4)

Rec: Alexandria

- Ref: 1. Attus delectus Cambridge, 1876 p. 610 pl. 60 f. 88 N♂♀  
 near Alexandria  
 2. H.e. Wesołowska, 1986 pp. 17-18 f. 96-104, 896 D♂♀  
H. \_\_\_\_\_ glaucus Bösenberg & Lenz, 1894 R2b 1159 o (1)

Rec: Alexandria, Siwa Oasis

- Ref: 1. H. albescens Denis, 1947b pp. 68-9 pl. 5 f. 1-3, pl. 6 f. 3 D♂♀  
 Siwa (from Tamarix sp.)  
 2. H.g. Wesołowska, 1986 p. 208 f. 558, 567-9, 905 D♂♀  
 Siwa, Alexandria

Genus **Hycitia** Simon, 1876

H. \_\_\_\_\_ staintonii (Cambridge, 1872) R2b 1258 ♂ (2)

Rec: Upper Egypt

- Ref: 1. Attus s. Cambridge, 1876 p. 610 N in Upper Egypt

Genus **Hyllus** C.L.Koch, 1846

H. \_\_\_\_\_ plexippoides Simon, 1906 R2b 1054 ♀ (1) Egypt  
 P 582 ♀ (1) Egypt

Rec: ---

Genus **Icius** Simon, 1876

I. \_\_\_\_\_ fulgens (Cambridge, 1872)  
 (Euophrys f.) R2b 1174 ♂♀ (3)

Rec: Alexandria, Cairo, Siwa Oasis, Upper Egypt

- Ref: 1. Salticus f. Cambridge, 1872a pp. 340-1 pl. 14 f. 17 D♂♀  
 among plants on walls and rocks at Alexandria, Cairo,  
 and in Upper Egypt  
 2. Attus f. Cambridge, 1876 p. 611 N on trees and plants  
 near Alexandria, Cairo and in Upper Egypt  
 3. Evophrys f. Denis, 1947b p. 69 pl. 5 f. 4 N♀ Siwa,  
 marsh at Khamissa, Baharein, East Lake shore  
 4. I.f. Wesołowska, 1988 pp. 398-400 f. 1, 10-17 D♂♀ Siwa  
I. \_\_\_\_\_ lucipeta (Simon, 1890)  
 (Heliophanus l.) R2b 1159 ♂♀ (3)

Rec: Alexandria, Suez

- Ref: 1. Pseudicius l. Wesołowska, 1986 p. 230 N comb.n.  
 2. I.l. Wesołowska, 1988 pp. 395-7 f. 1, 2-9 D♂♀  
 Suez, Alexandria



Genus **Langona** Simon, 1901

L. \_\_\_\_\_ alfensis Hęciak & Prószyński, 1983 P 584 ♂♀ (1)

Rec: Wadi Halfa

Ref: 1. L.a. Hęciak & Prószyński, 1983 pp.226-7  
f.3,6,7,22,23,28,29 D♂♀ Wadi Halfa

L. \_\_\_\_\_ mendax (Cambridge, 1876) R2b 1121 ♂ (2)

Rec: Cairo

Ref: 1. Attus m. Cambridge, 1876 pp.615-6 D♂ near Cairo

L. \_\_\_\_\_ redii (Audouin, 1825) (T) R2b 1121 ♂♀ (5)

Rec: Alexandria

Ref: 1. Attus r. Audouin, 1825 p.172 pl.7 f.21 D♂

2. Attus effigies or A.interceptor Cambridge, 1876 pp.616-7  
D♂ near Alexandria

3. L.r. Hęciak & Prószyński, 1983 pp.209-211  
f.1,2,4,5,12,25,37,38 D♂♀ Egypt

Genus **Menemerus** Simon, 1868

M. \_\_\_\_\_ animatus Cambridge, 1876 R2b 1266 ♂♀ (5)

Rec: Alexandria, Siwa Oasis, Upper Egypt, Wadi Natron

Ref: 1. M.a. Cambridge, 1876 pp.622-3 pl.60 f.89 D♂♀  
on rocks and walls in Upper Egypt

(immature examples near Alexandria)

2. M.a. Simon, 1884 p.308 N Lower Egypt

3. M.a. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

4. M.a. Denis, 1947b p.71 pl.4 f.16 N♀ Siwa

M. \_\_\_\_\_ gesneri (Audouin, 1825) R2b 1264 ♀ (2)

Rec:---

Ref: 1. Attus g. Audouin, 1825 p.170 pl.7 f.12 D♀

M. \_\_\_\_\_ heydenii Simon, 1868 R2b 1264 ♂♀ (1)

Rec: Cairo, Upper Egypt

Ref: 1. M.h. Cambridge, 1876 p.622 N upon the trunks of palm  
trees near Cairo and in Upper Egypt

M. \_\_\_\_\_ hunterii (Audouin, 1825) R2b 1265 ♀ (2)

Rec:---

Ref: 1. Attus h. Audouin, 1825 p.171 pl.7 f.19 D♀

M. \_\_\_\_\_ illigerii (Audouin, 1825) R2b 1266 ♀ (4)

Rec:---

Ref: 1. Attus i. Audouin, 1825 p.172 pl.7 f.20 D♀

M. \_\_\_\_\_ interemptor Cambridge, 1876 R2b 1265 ♀ (1)

Rec: Cairo

Ref: 1. M.i. Cambridge, 1876 pp.623-4 D♀ near Cairo

M. \_\_\_\_\_ semilimbatus (Hahn, 1829) (T) R2b 1265 ♂♀ (13)

Rec: Cairo

Ref: 1. M.vigoratus Cambridge, 1876 p.622 N near Cairo

2. M.s. Pavesi, 1878 p.391 N Egypt

M. \_\_\_\_\_ soldanii (Audouin, 1825) R2b 1265 ♂♀ (5)

Rec: Alexandria, Siwa Oasis

Ref: 1. Attus s. Audouin, 1825 p.171 pl.7 f.17,18 D♂♀

2. Attus s. Cambridge, 1876 p.611 N near Alexandria

3. M.s. Denis, 1947b pp.71-2 pl.6 f.7,8 N♂♀  
Siwa (on Acacia trees)

Genus **Mithion** Simon, 1884

M. \_\_\_\_\_ memorabilis (Cambridge, 1876) R2b 1269 ♂♀ (5)

Rec: Alexandria

Ref: 1. Attus m. Cambridge, 1876 pp.618-620 pl.60 f.110 D♂♀  
among rushes and herbage in a marsh near Alexandria

Genus **Modunda** Simon, 1901

M. phragmitis Simon, 1901 (T) R2b 1223 ♂♀ (2)

Rec: Suez

Ref: 1. M.p. Simon, 1901 pp. 160-1 D♂♀ Suez!

Genus **Mogrus** Simon, 1882

M. bonnetii (Audouin, 1825) R2b 1122 ♂♀ (4)

Rec: Alexandria, Siwa Oasis, Upper Egypt, Wadi Natron

Ref: 1. Attus b. Audouin, 1825 p. 170 pl. 7 f. 14 D♀

2. Attus b. Cambridge, 1876 pp. 611-2 D♂♀ near Alexandria, also at the roots and among the stems of stunted plants on the desert near Jebel y Silsilis in Upper Egypt

3. M.b. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

4. M.b. Denis, 1947b p. 76 pl. 5 f. 10-12 N♂♀ Siwa (from Tamarix and Acacia trees), Khamissa, El Arig, Baharein, East Lake shore, Girba

M. canescens (C.L. Koch, 1846) R2b 1122 ♂♀ (7) Egypt

Rec: ---

Genus **Natta** Karsch, 1879

N. tristellata (Simon, 1906) P 600 ♂ (2) Egypt

(Cyllobelus t.) R2b 1154 ♂ (2) Egypt

Rec: ---

Ref: 1. N.t. Prószyński, 1985 p. 83 f. 42-44 D♂ comb.n.

Genus **Neaetha** Simon, 1884

N. aegyptiaca Denis, 1947 R2b 1123 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. N.a. Denis, 1947b pp. 78-9 pl. 5 f. 14-16 D♂♀

Siwa, Ilrhabit Uncorde, Sitra, Gara

N. cerussata (Simon, 1868) R2b 1123 ♂ (3)

Rec: ---

Ref: 1. Attus c. Pavesi, 1878 p. 395 N Egypt

N. oculata (Cambridge, 1876) R2b 1124 ♂♀ (2)

Rec: Upper Egypt

Ref: 1. Attus o. Cambridge, 1876 pp. 612-4 pl. 60 f. 90 D♂♀

at the roots and among the stems of scattered herbage on the desert near Gebel-y-Silsilis, in Upper Egypt

Genus **Pachypoessa** Simon, 1902

P. plebeja (L. Koch, 1875) P 603 ♂♀ (1)

(Euophrys p.) R2b 1177 ♀ (1)

Rec: Cairo

Ref: 1. Euophrys p. Koch, 1875 pp. 90-2 pl. 7 f. 9 D♀ near Cairo

2. Evophrys p. Caporiacco, 1928 p. 103 N Egypt

Genus **Paraneaetha** Denis, 1947

P. diversa Denis, 1947 (T) R2b 1124 ♀ (1)

Rec: Siwa Oasis

Ref: 1. P.d. Denis, 1947b pp. 77-8 pl. 5 f. 13 D♀ Khamissa

Genus **Pellenes** Simon, 1876

P. frischii (Audouin, 1825) R2b 1125 ♀ (2)

Rec: ---

Ref: 1. Attus f. Audouin, 1825 p. 170 pl. 7 f. 11 D♀

Genus **Philaeus** Thorell, 1869

P. chrysops (Poda, 1761) (T) R2b 1064-5 ♂♀ (50)

Rec: Sinai (southern)

Ref: 1. Aranea sloanii & A. catesbaei Scopoli, 1763 p. 401 D

2. Attus sanguinolentus Cambridge, 1870 p. 820 N

Convent gardens and back of Mount Sinai



Genus **Phlegra** Simon, 1876

P. flavipes Denis, 1947 R2b 1139 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. P.v. Denis, 1947b pp.72-3 pl.5 f.6-8 D♂♀ Siwa

P. memorialis (Cambridge, 1876) R2b 1139 ♂♀ (2)

Rec: Siwa Oasis, Upper Egypt

Ref: 1. Attus m. Cambridge, 1876 pp.617-8 D♂♀ Upper Egypt

2. P.m. Denis, 1947b p.74 pl.6 f.9 N♂ Siwa

P. proxima Denis, 1947 R2b 1140 ♀ (1)

Rec: Siwa Oasis

Ref: 1. P.p. Denis, 1947b pp.73-4 pl.5 f.9 D♀ Sitra

Genus **Plexippus** C.L.Koch, 1846

P. paykullii (Audouin, 1825) (T) R2b 1086-7 ♂♀ (36)

Rec: Alexandria, Cairo, Sinai (southern)

Ref: 1. Attus p. Audouin, 1825 p.172 pl.7 f.22 D♂

2. Salticus vaillantii Cambridge, 1870 p.820 N  
in an old wall, Wady Ferran, peninsula of Sinai

3. Attus p. Cambridge, 1876 pp.610-611 N  
near Cairo and Alexandria, generally on old walls

Genus **Pseudicius** Simon, 1884

P. punctatus Denis, 1947 R2b 1225 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. P.p. Denis, 1947b pp.70-71 pl.6 f.4-6 D♂♀  
Baharein, East Lake shore

P. spiniger (Cambridge, 1872) R2b 1226 ♂♀ (3)

Rec: Assuan, Cairo, Upper Egypt

Ref: 1. Salticus s. Cambridge, 1872 pp.339-340 D♂♀  
on the trunks of palm trees in Egypt

2. Attus s. Cambridge, 1876 p.610 pl.60 f.103 N♂  
on the trunks of palm-trees at various places  
in Egypt, between Cairo and Assuan

3. P.s. Simon, 1907 p.9 N Elephantine (on Acacia nilotica)

4. Icius s. Andreeva, et al 1984 p.372 f.46-48 N♂♀ Cairo

P. tamaricis Simon, 1885 R2b 1225 ♂♀ (2)

Rec: Wadi Natron

Ref: 1. P.t. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

Genus **Salticus** Latreille, 1804

S. paludivagus Lucas, 1864 R2b 1275 ♀ (3)

Rec: Alexandria

Ref: 1. Epiblemum p. Cambridge, 1876 p.624 N near Alexandria

S. tricinatus (C.L.Koch, 1846) R2b 1275 ♂♀ (3)

Rec: Alexandria

Ref: 1. Epiblemum t. Cambridge, 1876 p.624 N near Alexandria

Genus **Stenaelurillus** Simon, 1885

S. wernerii Simon, 1906 R2b 1143 ♂♀ (1)

P 629 ♂♀ (1) Egypt

Rec:---

Genus **Synageles** Simon, 1876

S. dalmaticus (Keyserling, 1863) R2b 1040 ♂♀ (9)

Rec: Alexandria, Cairo

Ref: 1. Salticus todillus Cambridge, 1872 p.324 N Alexandria

2. Salticus todillus Cambridge, 1876 p.625 N under stones,  
near Alexandria

3. S.d. Simon, 1907 p.9 N Cairo

S. repudiatus (Cambridge, 1876) R2b 1040 ♀ (2)  
Rec: Alexandria, Siwa Oasis

Ref: 1. Salticus r. Cambridge, 1876 p.625 ♂ under a stone,  
near Alexandria  
2. S.r. Denis, 1947b p.67 N Baharein, East Lake shore

Genus **Thyene** Simon, 1885

T. imperialis (Rossi, 1846) (T) R2b 1109 ♂ (15)  
 Rec: Assuan, Cairo, Siwa Oasis, Upper Egypt

Ref: 1. *Attus regillus* Cambridge, 1876 p.611 pl.60 f.17 N3q  
near Cairo and in Upper Egypt, on trees and low shrubs

2. *Thya* i. Pavesi, 1878 p. 394 N. Egypt.

3. T.i. Simon, 1907 pp.9-10 N Philoe island

4. T.i. Denis, 1947b pp.79-80 N Siwa, Sitra, Khamissa, Anas Yutra, Koreishid

Genus **Thyenula** Simon, 1902

Rec: Siwa Oasis

Ref: 1. T.a. Denis. 1947b p.81 pl.6 f.12-13 D♂ Khamissa

Genus **Yllenus** Simon, 1868

Y. saliens Cambridge, 1876  
(Attulus s.) R2b 1242 ♂ (4)

Rec: Alexandria, Cairo, Dqueinat, Suez, Upper Egypt

Ref: 1. Y.s. Cambridge, 1876 pp. 620-1 pl. 60 f. 92 D<sup>3</sup><sub>4</sub>  
among the stems and at the roots of scattered stunted  
plants on the desert near Jebel y Silsilis

2. *Attulus* s. Simon, 1907 p.10 N Cairo

3. Y.s. Prószyński, 1968 pp.476-9 f.161-7 Dof  
Alexandria, Suez, Cairo

4. Y.s. Punda, 1975 pp.36-7 f.3,4 N♀ Uadi el-Ghazàl  
(Auenàt)-Libya

Genus **Attus** ? (Salticus ?) R2b nicht zu deuten!

A. druryi Audouin, 1825 R2b 1423 nicht zu deuten!  
Rec:---

Ref: 1. A.d. Audouin, 1825 p.170 pl.7 f.10 D<sup>u</sup>

A. mendicus Cambridge, 1876 R2b 1426 nicht zu deuten!

Rec: Alexandria to Assuan

Ref: 1. A.m. Cambridge, 1876 pp.614-5 Dog on the bare desert  
in several places from Alexandria to Assuan

2. A.m. Prószyński, 1971 p.380 Lon.A.m.:BM(NH);  
Oxf.-A.m.:Dept.Zool.,Univ.Mus.

A. mouffetii Audouin, 1825 R2b 1427 nicht zu deuten!  
Rec: Alexandria

Ref: 1. A.m. Audouin, 1825 p.171 pl.7 f.16 Do

2. A.m. Cambridge, 1876 p. 610 N near Alexandria

## Family Scytodidae

Genus **Scytodes** Latreille, 1804

S. berthelotii Lucas, 1838 R1 324 ♀ (2)

Rec: Wadi Natron

Ref: 1. S.b. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

S. *immaculata* L.Koch, 1875 R1 324 g (1)

Rec: Alexandria, Cairo, El-Fayum, Upper Egypt, Wadi Halfa

Ref: 1. S.i. Koch, 1875 pp.27-28 pl.3 f.2 Dq near Cairo

2. S.i. Simon, 1910 p.305 N. Alexandria, Cairo, El-Fayoum,  
Wadi Halfa, common in Upper Egypt.



S. obelisci Denis, 1947 B 148 ♂ (3)

Rec : Luxor

Ref: 1. S. lesserti Denis, 1944 pp.43-44 pl.1 f.7, pl.2 f.15 D♂  
Louksor

2. S.o. Denis, 1947a p.103 N (nom. nov)

3. S.o. Denis, 1965 pp.104-5 pl.1 f.2 Dg

S. thoracica Latreille, 1804 (T) R1 324 ♂♂ (18)

Rec: Cairo, Siwa Oasis

Ref: 1. S.t. Audouin, 1825 pp.152-3 p1.5 f.1 Dg

2. S.t. Cambridge, 1876 p.564 N(imature ♀) Cairo

3. S.t. Pavesi, 1878 p.373 N Egypt

4. S.t. Simon, 1910 p.305 N Egypt

5. S.t. Denis, 1947b p.25 Ng Siwa

S. velutina Heineken & Lowe, 1835 R1 324 ♂ (6)

Rec: Cairo, Siwa Oasis

Ref: 1. S.kochii Cambridge, 1876 pp.564-5 Do (immature ♀)  
near Cairo

2. S.v. Simon, 1910 pp.305-6 N Egypt

3. S.v. Denis, 1947b p.25 No Siwa

S. \_\_\_\_\_ v. \_\_\_\_\_ delicatula Simon, 1873 R1 325 ♂ (3)

Rec: Wadi Natron

Ref: 1. S.d. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

2. S.v.d. Simon, 1910 p.306 N Egypt

Family *Sequestriidae*

Genus **Ariadna** Savigny, 1825

A. insidiatrix Savigny, 1825 (T) R1 304 ♂ (9)

Rec: Alexandria, Cairo

Ref: 1. A.i. Audouin, 1825 pp.109-110 pl.1 f.3 D<sub>9</sub> Alexandria  
inside houses

2. A.i. Cambridge, 1876 p. 547 N among debris of an old  
mud wall, near Cairo

3. *A. spinipes* Simon, 1910 p.331 N Egypt

Genus **Segestria** Latreille, 1804

S. florentina (Rossi, 1790) R1 309 ♂ (17)

Rec: Alexandria, Lower Egypt, Sinai(southern)

Ref: 1. S.perfida Audouin, 1825 pp.108-9 pl.1 f.2 Dq Alexandria  
inside houses

2. *S.perfida* Cambridge, 1870 p.819 N Wady Gherandel, Sinai

3. S.f. Pavesi, 1878 p.379 N Lower Egypt.

4. S.f. Simon, 1910 pp.331-2 N Alexandria

## Family Selenopidae

Genus **Selenops** Latreille, 1819

S. radiatus Latreille, 1819 (T) R2a 731-2 ♂ (19)

Rec: Wadi Natron, Nile Valley

Ref: 1. *S.aegyptiaca* Audouin, 1825 pp. 162-3 pl. 6 f. 6 Do

2. *S.aegyptiacus* Cambridge, 1876 pp.585-7 pl.59 f.10 D3g  
in the Nile boats, Egypt

3. S.r. Pavese, 1878 p.381 N Egypt

4. S.r. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

Family **Tetragnathidae**Genus **Dyschiriognatha** Simon, 1893D. \_\_\_\_\_ argyrostilba (Cambridge, 1876) R1 994 ♂♀ (2)  
Rec: AlexandriaRef: 1. Pachygnatha a. Cambridge, 1876 pp. 573-4 pl. 59 f. 8 D♂♀  
on rushes and other plants in a marsh near AlexandriaGenus **Tetragnatha** Latreille, 1804T. \_\_\_\_\_ filiformis (Savigny, 1825) R1 973 ♀ (3)

Rec: Alexandria, Nile Delta (Lower Egypt)

Ref: 1. Eugnatha f. Audouin, 1825 pp. 120-1 pl. 2 f. 4 D♀  
the Delta's interior  
2. T.f. Cambridge, 1876 p. 575 N on rushes in a marsh  
near AlexandriaT. \_\_\_\_\_ flava (Savigny, 1825) R1 974 ♀ (4)

Rec: Alexandria, Rosetta

Ref: 1. Uloborus f. Audouin, 1825 pp. 117-8 pl. 2 f. 1 D♀  
near Rosetta  
2. T.f. Cambridge, 1876 p. 574 N on rushes in a marsh  
near AlexandriaT. \_\_\_\_\_ isidis (Simon, 1880) P 314 ♂♀ (1)  
(Eucta i.) R1 972 ♂♀ (8)

Rec: Alexandria

Ref: 1. Eugnatha i. Simon, 1880c p. 98 D♀ Ramlé, near Alexandria  
T. \_\_\_\_\_ nitens (Savigny, 1825) R1 978 ♂♀ (12)Rec: Alexandria, Cairo, Manzalah (lake), Rosetta, Siwa Oasis,  
Wadi NatronRef: 1. Eugnatha n. Audouin, 1825 pp. 118-9 pl. 2 f. 2 D♀  
near Rosetta  
2. Eugnatha pelusia Audouin, 1825 pp. 119-120 pl. 2 f. 3 D♀  
island of Rosetta; islets of Menzaleh lake  
3. T. molesta Cambridge, 1872 pp. 295-6 D♂  
4. T. molesta Cambridge, 1876 p. 574 N among rushes in a  
marsh near Alexandria  
5. T.n. Cambridge, 1876 p. 574 N♀ on rushes in a marsh  
near Alexandria  
6. T. pelusia Cambridge, 1876 p. 575 N near Cairo  
7. T.n. Simon, 1880a p. 48 N near Alexandria  
8. T.n. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
9. T.n. Simon, 1907 p. 5 N Cairo  
10. T.n. Denis, 1947b p. 43 N Siwa, Ilrhabit Uncorde, KhamissaFamily **Theridiidae**Genus **Anelosimus** Simon, 1891A. \_\_\_\_\_ aulicus (C.L. Koch, 1838) P 190 ♂♀ (2)  
(Theridion a.) R1 461 ♂♀ (13)

Rec: Alexandria, Siwa Oasis, Wadi Natron

Ref: 1. Theridion rufolineatum Cambridge, 1876 pp. 569-570 N  
on low plants, near Alexandria  
2. Theridion a. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
3. Theridion a. Denis, 1947b p. 42 N Siwa  
4. A.a. Levy & Amitai, 1982 pp. 124-7 f. 85-92 D♂♀



Genus **Argyrodus** Simon, 1864

- A. argyrodus (Walckenaer, 1841) P 191 ♂♀ (1)  
 (Argyrodina a.) R1 430 ♂♀ (11)  
 (A. ammonia) B 393 ♂ (1)

Rec: Siwa Oasis

- Ref: 1. A. ammonia Denis, 1947b pp. 40-41 pl. 2 f. 1-3 D♂  
 near Khamissa

Genus **Crustulina** Menge, 1838

- C. conspicua (Cambridge, 1872) R1 398 ♂♀ (3) Egypt

Rec: ---

- Ref: 1. Theridion c. Cambridge, 1872 pp. 285-6 pl. 13 f. 11 D♂♀  
 beneath stones

Genus **Enoplognatha** Pavesi, 1880

- E. mandibularis (Lucas, 1846) R1 401 ♂♀ (11)

Rec: Alexandria, Cairo

- Ref: 1. Pachygnatha m. Cambridge, 1872 pp. 294-5 N  
 under stones, at Cairo  
 2. Steatoda m. Cambridge, 1876 pp. 568-9 N  
 ♂ running on the rails of the railway near Cairo;  
 ♀ under stones near Alexandria

Genus **Euryopsis** Menge, 1868

- E. acuminata (Lucas, 1846)  
 (E. episinoides) R1 450 ♂♀ (7)

Rec: Alexandria

- Ref: 1. Theridion scriptum Cambridge, 1872 pp. 283-4 D♂♀ under  
 stones and among rubbish and herbage, near Alexandria  
 2. E. scripta Cambridge, 1876 p. 569 N near Alexandria  
 3. E. quadrimaculata Cambridge, 1876 p. 569 D♂♀ Alexandria  
 4. E. a. Cambridge, 1876 p. 569 N near Alexandria  
 5. E. a. Simon, 1880a p. 48 N near Alexandria  
 6. E. a. Levy & Amitai, 1981 pp. 178-180 f. 1-10 D♂♀  
E. albomaculata Denis, 1951 B 406 ♀ (1) Egypt

Rec: ---

- E. campestrata Simon, 1907 R1 450 ♀ (1)

Rec: Cairo

- Ref: 1. E. c. Simon, 1907 p. 5 D♀ Cairo  
E. quinqueguttata Thorell, 1875 R1 452 ♂♀ (10)

Rec: Siwa Oasis

- Ref: 1. E. q. Denis, 1947b p. 41 N Siwa

Genus **Latrodectus** Walckenaer, 1805

- L. geometricus C. L. Koch, 1841 R1 425 ♂♀ (11)

Rec: ---

- Ref: 1. L. g. Levi, 1959 pp. 21-24 f. 8-10, 25-28, 37, 39-50, 80-83  
 map 1 D♂♀ Cosmotropical  
L. pallidus Cambridge, 1872 R1 425 ♀ (2)

Rec: Alexandria

- Ref: 1. L. p. Cambridge, 1872 pp. 287-8 D♀ in irregular snares  
 spun among low plants and beneath stones, Alexandria  
 2. L. p. Levi, 1959 p. 38 f. 22-24, 31, 33-34 map 7 D♂♀ Egypt  
L. tredecimguttatus (Rossi, 1790) R1 425-6 ♂♀

Rec: Alexandria, Salahyeh (29)

- Ref: 1. L. erebus Audouin, 1825 p. 137 pl. 3 f. 9 D♀ near Salahyeh  
 2. L. argus Audouin, 1825 pp. 137-8 pl. 3 f. 10 D♀  
 near Alexandria

3. *L. erebus* Cambridge, 1876 p. 567 N under stones among the ruins of an old building at Alexandria
4. *L. t. Pavesi*, 1878 p. 372 N Egypt
5. *L. t. var erebus* Simon, 1880a p. 47 N near Alexandria
6. *L. mactans t. Levi*, 1959 pp. 24-38 f. 1, 5-7, 19-21, 53-67, 72-79 maps 2-4 D♂♀

Genus **Nesticodes** Archer, 1950

*N. \_\_\_\_\_ rufipes* (Lucas, 1846) P 198 ♂♀ (2)  
(*Theridion r.*) R1 459-460 ♂♀ (12)

Rec: Cairo

- Ref: 1. *Theridion bajulans* Koch, 1875 pp. 21-23 pl. 2 f. 4, 5 D♂♀ near Cairo
2. *Theridion r. Levi & Amitai*, 1982 pp. 86-89 f. 1-5 D♂♀

Genus **Paidiscura** Archer, 1950

*P. \_\_\_\_\_ dromedaria* (Simon, 1880) P 199 ♂♀ (2)

Rec: Ismailia

- Ref: 1. *Theridion d. Simon*, 1880c p. 99 D♂(♀?) Ismailia
2. *Theridion d. Levi & Amitai*, 1982 pp. 110-3 f. 58-64 D♂♀ Ismailia

*P. \_\_\_\_\_ musiva* (Simon, 1873) P 199 ♂♀ (2)

Rec: Sinai

- Ref: 1. *Theridion m. Levi & Amitai*, 1982 pp. 105-6 f. 43-47 D♂♀ Sinai: Qadesh Barnea

Genus **Steatoda** Sundevall, 1833

*S. \_\_\_\_\_ ephippiata* (Thorell, 1875) P 201 ♀ (1)  
(*Lithyphantes e.*) R1 404 ♀ (1) Egypt

Rec: ---

*S. \_\_\_\_\_ erigoniformis* (Cambridge, 1872) P 201 ♂♀ (3)  
(*Asagenella e.*) R1 397 ♂♀ (2)  
(*Lithyphantes signatus*) R1 405 ♀ (2)

Rec: Alexandria

- Ref: 1. *Theridion e. Cambridge*, 1872 pp. 284-5 D♂♀ among herbage
2. *S. signata* Cambridge, 1876 p. 568 D♀ under a large stone at Alexandria
  3. *S. signata* Simon, 1880a p. 47 N near Alexandria
- S. \_\_\_\_\_ paykulliana* (Walckenaer, 1805) P 201 ♂♀ (1)  
(*Lithyphantes p.*) R1 404-5 ♂♀ (24)

Rec: Alexandria, Sinai(southern)

- Ref: 1. *Latrodectus hamatus* Cambridge, 1870 p. 819 N convent gardens and back of Mount Sinai
2. *Lithyphantes hamatus* Cambridge, 1876 p. 568 N under stones, near Alexandria
  3. *Lithyphantes p. Pavesi*, 1878 p. 371 N Egypt
  4. *S. p. Simon*, 1880a p. 47 N near Alexandria
- S. \_\_\_\_\_ triangulosa* (Walckenaer, 1802) P 202 ♂♀ (4)  
(*Teutana t.*) R1 416 ♂♀ (18)

Rec: Cairo, Wadi Natron

- Ref: 1. *Theridium t. Koch*, 1875 p. 23 N near Cairo
2. *S. t. Pavesi*, 1878 p. 371 N Egypt
  3. *Teutana t. Strand*, 1908a p. 96 N♀ Bir Hooker(Wadi-Natron)
- S. \_\_\_\_\_ venator* (Savigny, 1825) P 202 ♀ (1)

Rec: Alexandria

- Ref: 1. *Latrodectus v. Audouin*, 1825 p. 138 pl. 3 f. 11 D♀ near Alexandria



Genus **Theridion** Walckenaer, 1805

T. melanostictum Cambridge, 1876 R1 466 ♀ (1)

Rec: Alexandria

Ref: 1. T.m. Cambridge, 1876 pp.570-1 D♀ on low plants,  
near Alexandria

2. T.m. Levy & Amitai, 1982 pp.99-102 f.32-37 D♂♀  
near Alexandria

T. spinitarse Cambridge, 1876 R1 471 ♀ (1)

Rec: Cairo, Luxor

Ref: 1. T.s. Cambridge, 1876 p.570 D♀ on a low plant near Cairo

2. T.s. Pavesi, 1883 pp.33-34 N Egypt

3. T.bifoveolatum Denis, 1944 pp.48-49 pl.2 f.17 D♀ Louksor

T. tuberculatum Kroneberg, 1875 R1 472 ♂♀ (4)

Rec: Alexandria, Ismailia, Siwa Oasis, Suez

Ref: 1. T.t. Denis, 1947b p.42 N Siwa  
[Suez: Simon, 1890; Alexandria, Ismailia: Simon, 1880]

T. varians Hahn, 1831 R1 472-3 ♂♀ (24)

Rec: Alexandria

Ref: 1. T.v. Cambridge, 1876 p.570 N on low plants,  
near Alexandria

Family **Thomisidae**Genus **Firmicus** Simon, 1895

F. dewitzi Simon, 1899

(Synema multipunctatum d.) R2a 887 ♂ (3)

Rec: Wadi Natron

Ref: 1. F.d. Simon, 1899 pp.246-7 f.4 D♂ on Tamarix  
Bir-Hooker (Wadi Natron)

2. F.d. Levy, 1985 pp.33-34 f.36-39 D♂♀ Egypt

Genus **Heriaeus** Simon, 1875

H. buffoni (Audouin, 1825) R2a 864-5 ♂♀ (5)

Rec:---

Ref: 1. Thomisus b. Audouin, 1825 p.164 pl.6 f.10 D♂

2. H.b. Levy, 1985 pp.51-52 f.67-70 D♂♀ Egypt

Genus **Misumena** Latreille, 1804

M. atrocincta Costa, 1875 B 609 ♂ (1) Egypt

Rec:---

Genus **Ozyptila** Simon, 1864

O. judaea Levy, 1975 P 522 ♀ (2)

Rec: Sinai

Ref: 1. O.j. Levy, 1985 p.68 F.100, 101 D♀ Sinai

O. subclavata (Cambridge, 1876) R2a 880 ♀ (3)

Rec: Alexandria

Ref: 1. Xysticus s. Cambridge, 1876 pp.584-5 D♀ near Alexandria

Genus **Pistius** Simon, 1875

P. truncatus (Pallas, 1772) (T) R2a 851-2 ♂♀ (33)

Rec:---

Ref: 1. Thomisus m. Audouin, 1825 pp.163-4 pl.6 f.9 D♂♀

Genus **Runcinia** Simon, 1875

R. lateralis (C.L.Koch, 1838) (T)

(R.cerina) R2a 853 ♂♀ (12)

Rec: Alexandria

Ref: 1. Thomisus l. Cambridge, 1876 p.580 N among rushes  
and other water plants in a marsh near Alexandria

2. Misumena l. Pavesi, 1878 p.383 N Egypt

3. Thomisus l. Pavesi, 1883 pp.58-59 N Egypt

4. R.l. Levy, 1985 pp.45-46 f.57-60 D♂♀

Genus **Synema** Simon, 1864

S. candicans (Cambridge, 1876) R2a 885 ♂♀ (1)

Rec: Alexandria

Ref: 1. Diaea c. Cambridge, 1876 pp. 580-1 D♂♀  
on low plants near Alexandria

S. diana (Audouin, 1825)

(S. audouini) R2a 886 ♂♀ (7)

Rec: Cairo to Luxor, Siwa Oasis, Wadi Natron

Ref: 1. Thomisus d. Audouin, 1825 pp. 165-6 pl. 7 f. 1, 2 D♂  
2. Thomisus d. Cambridge, 1872 p. 306 N on low-growing  
plants, Egypt  
3. Diaea d. Cambridge, 1876 p. 580 N on the branches of the  
sont acacia at various places between Cairo and Thebes  
4. S.d. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
5. S.d. Denis, 1947b p. 56 N Siwa, Zeitoun, Girba  
6. S.d. Levy, 1985 pp. 58-59 f. 82-85 D♂♀ Egypt  
S. globosum (Fabricius, 1775) (T) R2a 885-6 ♂♀ (25)

Rec: ---

Ref: 1. Thomisus rotundatus Audouin, 1825 p. 166-7 pl. 7 f. 3-5 D♂♀  
2. S.g. Levy, 1985 pp. 55-56 f. 74-77 D♂♀  
S. valentinieri Dahl, 1907 R2a 886 ♀ (1)

Rec: Upper Egypt

Ref: 1. S.v. Dahl, 1907 pp. 383, 390 D♀ Upper Egypt

Genus **Thomisus** Walckenaer, 1805

T. bidentatus Kulczyński, 1901 R2a 858 ♂♀ (2)

Rec: Sinai

Ref: 1. T.b. Levy, 1985 pp. 41-42 f. 51-54 D♂♀ Sinai  
T. hilarulus Simon, 1875 R2a 855 ♂♀ (3)

Rec: Siwa Oasis

Ref: 1. T.h. Denis, 1947b pp. 54-55 N Siwa, Zegawa  
on Acacia trees  
T. onustus Walckenaer, 1805 (T) R2a 856 ♂♀ (28)

Rec: Siwa Oasis

Ref: 1. T. peronii Audouin, 1825 p. 163 pl. 6 f. 7, 8 D♀  
2. T. albus Pavesi, 1878 pp. 382-3 N Egypt  
3. T.o. Denis, 1947b pp. 53-54 N Siwa, El Arig  
4. T.o. Levy, 1985 pp. 37-38 f. 43-46 D♂♀  
T. spinifer Cambridge, 1872  
(T. citrinellus) R2a 857 ♂♀ (7)

Rec: Assuan, Cairo to Luxor, Sinai?, Siwa Oasis, Wadi Natron

Ref: 1. T.s. Cambridge, 1872 pp. 308-9 pl. 14 f. 14 D♂♀ Egypt  
on low-growing plants and flowers  
2. T.s. Cambridge, 1876 p. 580 N  
on low-growing plants and flowers, as well as on the  
boughs of the sont acacia between Cairo and Thebes  
3. T.s. Pavesi, 1883 pp. 57-58 N Egypt  
4. T.s. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)  
5. T.s. Simon, 1907 pp. 6-7 N Assuan  
6. T.s. Denis, 1947b p. 55 N Siwa, Zeitoun  
7. T. citrinellus Levy, 1985 pp. 39-40 f. 47-50 D♂♀ Sinai?

Genus **Tmarus** Simon, 1875

T. piochardi (Simon, 1866) R2a 816 ♂♀ (4)

Rec: Siwa Oasis

Ref: 1. T.p. Denis, 1947b p. 53 N Siwa, Khamissa  
2. T.p. Levy, 1985 pp. 25-27 f. 24-27 D♂♀



Genus **Xysticus** C.L.Koch, 1835X. bliteus (Simon, 1875)

(Oxyptila b.) R2a 876 ♂♀ (2)

(Oxyptila audouini) R2a 875 ♂♀ (5)

Rec: Alexandria, Cairo

- Ref: 1. Thomisus hirtus Audouin, 1825 pp. 164-5 pl. 6 f. 11 D♂  
 2. X. hirtus Cambridge, 1876 p. 581 N near Cairo  
 3. Oxyptila b. Simon, 1880a p. 48 N near Alexandria  
 4. Oxyptila hirta Simon, 1880a p. 48 N near Alexandria  
 5. X. b. Levy, 1985 pp. 86-87 f. 127-130 D♂♀

X. clerckii (Audouin, 1825) R2a 909 ♀ (2)

Rec: ---

- Ref: 1. Thomisus c. Audouin, 1825 p. 165 pl. 6 f. 13 D♀  
 2. X. c. Pavesi, 1883 pp. 63-64 N Egypt

X. cristatus (Clerck, 1757) (T) R2a 899-900 ♂♀ (26)

Rec: Alexandria

- Ref: 1. X. promiscuus Cambridge, 1876 pp. 581-3 D♂♀  
 on low plants, near Alexandria

2. X. c. Levy, 1985 pp. 90-92 f. 133-7 D♂♀

X. ferus Cambridge, 1876 R2a 901 ♀ (1)

Rec: Alexandria, Sinai (southern)

- Ref: 1. X. f. Cambridge, 1876 pp. 583-4 D♀  
 on a low plant, near Alexandria  
 2. X. f. Levy, 1985 pp. 81-82 f. 118-120 D♀  
 Sinai (Wadi Yah' med, southern Sinai)

X. lalandii (Audouin, 1825) R2a 903 ♂♀ (3)

Rec: Sinai

- Ref: 1. Thomisus l. Audouin, 1825 p. 165 pl. 6 f. 12 D♂♀  
 2. X. l. Levy, 1985 pp. 105-7 f. 166-9 D♂♀ southwestern Sinai

X. peccans Cambridge, 1876 R2a 906 ♀ (2)

Rec: ---

- Ref: 1. X. p. Cambridge, 1876 p. 584 D immature ♀ on plants, Egypt

X. sabulosus (Hahn, 1831) R2a 906-7 ♂♀ (29) Egypt

Rec: ---

Family **Titanoecidae**Genus **Titanoeca** Thorell, 1869T. albomaculata (Lucas, 1846) R2b 1372 ♂♀ (13)

Rec: Alexandria

- Ref: 1. Amaurobius distinctus Cambridge, 1872 pp. 263-4 D♂♀  
 beneath stones and among debris of various kinds,  
 at Alexandria  
 2. T. distincta Cambridge, 1876 p. 557 N among the dead stems  
 and debris of bushes and under stones near Alexandria  
 3. T. a. Simon, 1880a p. 48 N near Alexandria  
 4. Amaurobius (T.) a. Simon, 1910 p. 276 N Egypt  
 T. tristis L. Koch, 1872 R2b 1373 ♂♀ (10) Egypt

Rec: ---

- Ref: 1. Amaurobius t. Koch, 1875 pp. 31-32 pl. 3 f. 3 D♀ (Ethiopia)

Family **Uloboridae**Genus **Uloborus** Latreille, 1806U. plumipes Lucas, 1846 R2b 1338 ♂♀ (13)

Rec: Cairo to Assiut, Nile Valley and near Red Sea, Siwa Oasis

- Ref: 1. U. signatus Cambridge, 1876 pp. 579-580 D♂ on a low plant  
 on the way up the Nile between Cairo and Siout

2. U.p. Simon, 1910 p.272 N all Egypt  
the Nile Valley and on the Red Sea  
3. U.p. Denis, 1947b p.28 N Siwa, from houses  
U. walckenaerius Latreille, 1806 (T) R2b 1337-8 ♂♀  
Rec: Siwa Oasis (19)  
Ref: 1. U.w. Denis, 1947b pp.27-28 N Siwa, Khamissa

Family **Uroctidae**Genus **Uroctea** Dufour, 1820

- U. durandi (Latreille, 1809) R1 385 ♂♀ (18)  
Rec: ---  
Ref: 1. Clotho d. Audouin, 1825 pp.134-5 pl.3 f.6 D♀ (Mt. Carmel)  
2. U.d. Pavesi, 1878 p.373 N Egypt  
3. U.d. Simon, 1893 Hist. Nat. Ar., I(2):451 N (Mediterranean)  
U. limbata (C.L. Koch, 1843) R1 385 ♂♀ (2)  
Rec: Alexandria  
Ref: 1. U.l. Cambridge, 1876 pp.546-7 N under stones, Alexandria  
2. U.l. Simon, 1882 pp.241-2 N common in Egypt

Family **Zodariidae**Genus **Lachesana** Strand, 1932

- L. perversa (Savigny, 1825) R1 357 ♂ (4)  
Rec: Cairo  
Ref: 1. Lachesis p. Audouin, 1825 p.111 pl.1 f.4 D♂ near Cairo  
Genus **Trygetus** Simon, 1882  
T. sexoculatus (Cambridge, 1872) R1 365 ♀ (2)  
Rec: Suez  
Ref: 1. Palaestina s. Cambridge, 1872 p.270 D♀  
2. T. senoculatus Simon, 1893 Hist. Nat. Ar., I(2):438-9 N Suez  
Genus **Zodarion** Walckenaer, 1847  
Z. expers (Cambridge, 1876) R1 367 o (1)  
Rec: Alexandria  
Ref: 1. Enyo e. Cambridge, 1876 p.560 Do (immature ♀)  
Alexandria, under a stone  
Z. nitidum (Savigny, 1825) R1 370 ♂♀ (9)  
Rec: Alexandria, Cairo  
Ref: 1. Enyo n. Audouin, 1825 pp.135-6 pl.3 f.7 D♀  
near Alexandria  
2. Enyo longipes Audouin, 1825 pp.136 pl.3 f.8 D♂  
near Cairo  
3. Enyo n. Cambridge, 1876 pp.559-560 D♀  
near Alexandria, under a stone  
Z. occitaneum (Dugès, 1836) R1 370 ♂♀ (1)  
Rec: --- Alexandria  
Z. pileolonotatum Denis, 1935 R1 370 ♂♀ (2)  
Rec: Siwa Oasis  
Ref: 1. Z.p. Denis, 1935 pp.102-4 pl.1 f.4-6 D♂♀ (Giarabub)  
2. Z.p. Denis, 1947b p.40 N Siwa, Tarterad

\*\*\*\*\*  
\*\*\*\*\*



## REFERENCES

- Andreeva, E.M., Hęciak, S. & Prószyński, J. 1984  
Remarks on *Icius* and *Pseudicius* (Araneae, Salticidae) mainly from Central Asia.  
Ann.zool., Warszawa, 37(13):349-376.
- Audouin, V. 1825  
Explication sommaire des planches d'Arachnides de l'Égypte et de la Syrie, publiées par Jules-César Savigny.  
In: Description de l'Égypte, ou Recueil des observations et des recherches qui ont été faites en Égypte pendant l'expédition de l'armée française. Histoire Naturelle. Tome Premier 1809. Paris. 4e partie, p.99-186.
- Ausserer, A. 1871  
Beiträge zur Kenntniss der Arachniden-Familie der Territelariae Thorell (Mygalidae Autor.).  
Verh.zool.bot.Ges.Wien, 21:117-224, pl.I.
- 1875  
Zweiter Beitrag zur Kenntniss der Arachniden-Familie der Territelariae (Mygalidae Autor.).  
Verh.zool.bot.Ges.Wien, 25:125-206, pl.5-7.
- Benoit, P.L.G. 1968  
Synopsis des Filistatidae africains (Araneae).  
Ann.Mus.civ.St.nat."G.Doria" Genova, 77:92-102.
- Blauwe, R.de 1980a  
Revision de la famille des Agelenidae (Araneae) de la region mediterraneenne. (2e partie).  
Bull.Inst.r.Sci.nat.Belg., 52(1)Ent.:1-54.
- 1980b  
Revision de la famille des Agelenidae (Araneae) habitant la region mediterraneenne. (3e partie).  
Bull.Inst.r.Sci.nat.Belg., 52(11)Ent.:1-28.
- Brignoli, P.M. 1977  
Sur quelques Agelenidae et Hahniidae (Araneae) d'Afrique du Nord.  
Rev.Arachnol., 1(1):13-21.
- 1979  
On some African Decobius and Zimiris (Araneae, Decobiidae and Gnaphosidae).  
Zool.Medec., 54(9):123-6.
- 1981  
Studies on the Pholcidae, I. Notes on the genera *Artema* and *Physocyclus* (Araneae).  
Bull.Am.Mus.Nat.Hist., 170(1):90-100.
- 1982  
Contribution à la connaissance des Filistatidae paléarctiques (Araneae).  
Rev.Arachnol., 4(1-4):65-75.
- 1983  
A Catalogue of the Araneae described between 1940 and 1981.  
Ed. P.Merrett. 755pp. Manchester Univ.Press.
- Cambridge, O.P. 1870  
Notes on a collection of Arachnida made by J.K.Lord, Esq., in the Peninsula of Sinai and on the African borders of the Red Sea.  
Proc.Zool.Soc.Lond., 1870, p.818-823, pl.50.

- 1872a  
General list of the spiders of Palestine and Syria, with descriptions of numerous new species and characters of two new genera.  
Proc.Zool.Soc.Lond., 1872, p.212-354, pl.13-16.
- 1872b  
Descriptions of twenty-four new species of Erigone.  
Proc.Zool.Soc.Lond., 1872, p.747-769, pl.65-66.
- 1876  
Catalogue of a collection of spiders made in Egypt, with descriptions of new species and characters of a new genus.  
Proc.Zool.Soc.Lond., 1876, p.541-630, pl.58-60.
- Caporiacco, L. di 1928  
Risultati Zoologici della Missione inviata dalla R. Società Geografica Italiana per l'esplorazione dell'oasi di Giarabub (1926-1927). Aracnidi di Giarabub e di Porto Bardia.  
Ann.Mus.Civ.St.Nat.Genova, 53:77-107.
- Cooke, J.A.L. 1964  
A revisionary study of some spiders of the rare family Prodidomidae  
Proc.Zool.Soc.Lond., 142(2):257-305.
- Dahl, F. 1907  
Synaema marlothi, eine neue Laterigraden-Art und ihre Stellung im System.  
Mitt.Zool.Mus.Berlin, 3(3):369-395.
- Dalmas, le Comte de 1918  
Synopsis des Araignées de la Famille des Prodidomidae.  
Ann.Soc.ent.Fr., 87:279-340.
- 1919  
Catalogue des Araignées du genre Leptodrassus (Gnaphosidae), d'après les matériaux de la collection E.Simon au Muséum National d'Histoire Naturelle.  
Bull.Mus.natn.Hist.nat., 25:243-250.
- 1920  
Monographie des Araignées de la section des Pterotricha (Aran. Gnaphosidae).  
Ann.Soc.ent.Fr., 89:233-328.
- 1922  
Catalogue des Araignées récoltées par le Marquis G.Doria dans l'île Giglio (Archipel toscan).  
Ann.Mus.Civ.St.Nat.Giacomo Doria (Genova), 50(Serie 3, vol.x):79-96.
- Deeleman-Reinhold, C.L. & Prinsen, J.D. 1987  
Micropholcus fauroti (Simon) n.comb., a pantropical, synanthropic spider (Araneae : Pholcidae).  
Ent.Ber., Amst., 47(5):73-77.
- Denis, J. 1935  
Sur deux araignées de Cyrénaïque  
Ann.Mus.Civ.St.Nat.Giacomo Doria (Genova), 57:100-104, pl.1.
- 1936  
On a collection of spiders from Algeria.  
Proc.Zool.Soc.Lond., 1936:1027-1060, 5pls.
- 1944  
Descriptions d'Araignées Nord-Africaines.  
Bull.Soc.Hist.nat.Toulouse, 79(1):41-57, 2pls.
- 1947a  
Deux rectifications synonymiques concernant les araignées.  
Bull.Soc.Hist.nat.Toulouse, 82:103-4.



- , 1947b  
Results of the Armstrong college expedition to Siwa oasis (Libyan desert), 1935.  
Bull.Soc.Fouad 1er Entom., 31:17-103, 6pls.
- , 1948  
A new fact about Erigone vagans Aud. and Sav.  
Proc.Zool.Soc.Lond., 1948:588-590.
- , 1965  
Les Araignées du Fezzan.  
Bull.Soc.Hist.nat.Afr.N., 55:103-144.
- El-Hennawy, H.K. 1987a  
Preliminary notes on the biology, distribution, and predatory behaviour of Pseudopompilus humboldti (Dhlb.) (Hymenoptera : Pompilidae).  
SERKET, 1(1):1-11.
- , 1987b  
A list of Egyptian spider genera.  
SERKET, 1(1):12-14.
- , 1987c  
New records of Stegodyphus dufouri (Audouin) 1825 (Araneida : Eresidae) from Egypt.  
SERKET, 1(1):19.
- , 1988  
Hasarius adansonii (Audouin, 1825) (Araneida: Salticidae) in Egypt.  
SERKET, 1(3):21.
- Fage, L. 1929  
Mission Saharienne Augiéras-Draper, 1927-1928. Araignées Nouvelles.  
Bull.Mus.natn.Hist.nat., Paris, 2e, 1(4):248-254.
- Forskål, P. 1775  
Descriptiones Animalium, Avium, Amphibiorum, Piscium, Insectorum, Vermium; quae in itinere orientali. Ed. Carsten Niebuhr  
Hauniae, 1775. 164pp. (Copenhagen)
- Grasshoff, M. 1970a  
Die Tribus Mangorini. I. Die Gattungen Eustala, Larinia s.str., Larinopa n.gen. (Arachnida: Araneae: Araneidae-Araneinae).  
Senckenberg.biol., 51(3/4):209-234.
- , 1970b  
Die Tribus Mangorini. II. Die neuen Gattungen Siwa, Paralarinia, Faradja, Mahembea und Lariniaria (Arachnida: Araneae: Araneidae-Araneinae).  
Senckenberg.biol., 51(5/6):409-423.
- , 1971  
Die Tribus Mangorini. III. Die Gattung Drexelia MacCook (Arachnida: Araneae: Araneidae-Araneinae).  
Senckenberg.biol., 52(1/2):81-95.
- Hassan, A.I. 1950  
The Theraphosidae in Egypt, with a description of Chaetopelma shabati spec.nov. (Araneae).  
Bull.Soc.Fouad 1er Entom., 34:159-171.
- , 1953  
The Decobiidae of Egypt.  
Bull.zool.Soc.Egypt, 11:14-30.
- Hęciak, S. & Prószyński, J. 1983  
Remarks on Langona Simon (Araneae, Salticidae).  
Ann.zool., Warszawa, 37(4):207-233.

- Koch, L. 1867  
Zur Arachniden- und Myriapoden-Fauna Süd-Europa's.  
Verh. zool. bot. Ges. Wien, 17: 857-900.
- , 1875  
Aegyptische und Abyssinische Arachniden, gesammelt von Herrn  
C. Jickeli. Nürnberg 1875. 96pp., 7pls.
- Kritscher, E. 1960  
Zur Kenntnis des Genus *Cerbalus* Simon 1897 (Aran., Eusparassidae).  
Anz. öst. Akad. Wiss. Math.-Naturwiss. Kl., 97: 271-279.
- , 1966  
Die paläarktischen Arten der Gattung *Decobius* (Aran., Decobiidae).  
Ann. Naturhist. Mus. Wien, 69: 285-295, 2pls.
- Levi, H.W. 1959  
The spider genus *Latrodectus* (Araneae, Theridiidae).  
Trans. Amer. Micros. Soc., 78(1): 7-43.
- Levy, G. 1977  
The Philodromid spiders of Israel (Araneae, Philodromidae).  
Isr. J. Zool., 26: 193-229.
- , 1985  
Fauna Palaestina. Arachnida II. Araneae: Thomisidae.  
Jerusalem. 115pp., 1pl.
- , 1986  
Spiders of the genera *Siwa*, *Larinia*, *Lipocrea* and *Drexelia*  
(Araneae: Araneidae) from Israel.  
Bull. Br. arachnol. Soc., 7(1): 1-10.
- , & Amitai, P. 1981  
Spiders of the genera *Euryopis* and *Dipoena* (Araneae: Theridiidae)  
from Israel.  
Bull. Br. arachnol. Soc., 5(4): 177-188.
- , & -----, 1982  
The comb-footed spider genera *Theridion*, *Achaeearanea* and  
*Anelosimus* of Israel (Araneae: Theridiidae).  
J. Zool., Lond., 196: 81-131.
- Linnaeus, C. 1758  
Systema Naturae. Tomus I. Regnum Animale.  
Holmiae 1758. 10th edition. 824pp. (Stockholm)
- Millidge, A.F. 1988  
Genus *Prinerigone*, gen. nov. (Araneae: Linyphiidae).  
Bull. Br. arachnol. Soc., 7(7): 216.
- Pavesi, P. 1878  
Aracnidi aggiunto un catalogo sistematico delle specie di Grecia.  
Ann. Mus. Civ. St. Nat. Genova, 11: 335-396.
- , 1883  
Spedizione Italiana nell'Africa Equatoriale - Risultati Zoologici.  
Aracnidi del Regno di Scioa  
Ann. Mus. Civ. St. Nat. Genova, 20: 5-105.
- Platnick, N.I. 1981  
A review of the spider subfamily *Palpimaninae* (Araneae,  
*Palpimanidae*), I.  
Bull. Br. arachnol. Soc., 5(4): 169-173.
- , 1989  
Advances in Spider Taxonomy 1981-1987.  
Ed. P. Merrett 673pp. Manchester Univ. Press.



- Platnick, N.I. & Murphy, J.A. 1984  
A revision of the spider genera *Trachyzelotes* and *Urozelotes* (Araneae, Gnaphosidae).  
*Am. Mus. Novitates*, 2792: 1-30.
- Prószyński, J. 1968  
Systematic revision of genus *Yllenus* Simon, 1868 (Araneida, Salticidae).  
*Ann. zool.*, Warszawa, 26(19): 409-494.
- , 1971  
Catalogue of Salticidae (Aranei) specimens kept in major collections of the world.  
*Ann. zool.*, Warszawa, 28(17): 367-519.
- , 1985  
On *Siler*, *Silerella*, *Cyllobelus* and *Natta* (Araneae, Salticidae).  
*Ann. zool.*, Warszawa, 39(2): 69-85.
- Punda, H. 1975  
Remarks on the genus *Yllenus* Simon, 1868 (Aranei: Salticidae).  
*Ann. Zool.*, 33(3): 35-44.
- Raven, R.J. 1985  
The spider Infraorder Mygalomorphae (Araneae): Cladistics and systematics.  
*Bull. Amer. Mus. Nat. Hist.*, 182(1): 1-180.
- Roewer, C.F. 1942  
Katalog der Araneae von 1758 bis 1940.  
1. Band 1040pp. Bremen.
- , 1954  
Katalog der Araneae von 1758 bis 1940, bzw. 1954.  
2. Band Abt. a pp: 1-924, Abt. b pp: 925-1751. Bruxelles.
- Scopoli, I.A. 1763  
*Entomologia Carniolica exhibens Insecta Carnioliae Indigena et Distributa in Ordines, Genera, Species, Varietates. Methodo Linnaeana. Vindobonae 1763. (Vienna)*  
(Aranea: No. 1077-1120, pp. 392-404).
- Simon, E. 1880a  
Liste d'Arachnides recueillis aux environs immédiats d'Alexandrie (Égypte) par M.A. Letourneux.  
*Ann. Soc. ent. Fr.*, (5) 10. Bull. pp. 47-48.
- , 1880b  
Description d'un nouveau genre d'Arachnides de la famille des Dictynidae.  
*Ann. Soc. ent. Fr.*, (5) 10. Bull. pp. 54-55.
- , 1880c  
Descriptions de trois nouvelles espèces d'Arachnides d'Égypte, reçues de M.A. Letourneux.  
*Ann. Soc. ent. Fr.*, (5) 10. Bull. pp. 98-99.
- , 1882  
Viaggio ad Assab nel Mar Rosso, dei signori G. Doria ed O. Beccari con il R. Avviso "Esploratore" dal 16 Novembre 1879 al 26 Febbraio 1880.  
II. Étude sur les Arachnides de l'Yemen Méridional.  
*Ann. Mus. Civ. St. Nat. Genova*, 18: 207-260, pl. 8.
- , 1884  
Études Arachnologiques, 16e Mémoire, XXIII Matériaux pour servir à la faune des Arachnides de la Grèce.  
*Ann. Soc. ent. Fr.*, 6(4): 305-356.

- . 1889  
Arachnide transcaspicae ab ill. Dr. G. Radde, Dr. A. Walter et  
A. Conchin inventae (annis 1886-1887).  
Verh. zool. bot. Ges. Wien, 39: 373-386.
- . 1892-1903  
Histoire Naturelle des Araignées. 2ème ed. Paris.  
Tome I(1-4) 1892-5: 1084pp., Tome II(5-8) 1897-1903: 1080pp.
- . 1893  
Études Arachnologiques, 25e Mémoire, XL Descriptions d'espèces  
et de genres nouveaux de l'ordre des Araneae.  
Ann. Soc. ent. Fr., 62: 299-330, pl. 7.
- . 1898  
Descriptions d'Arachnides Nouveaux des familles des Agelenidae,  
Pisauridae, Lycosidae et Oxyopidae.  
Ann. Soc. ent. Belg., 42: 5-34.
- . 1899  
Arachnides recueillis par M. C.-J. Dewitz en 1898, à Bir-Hooker  
(Wadi Natron), en Égypte.  
Bull. Soc. ent. Fr., 1899, pp. 244-247.
- . 1901  
Descriptions d'Arachnides nouveaux de la famille des Attidae  
(Suite)(1).  
Ann. Soc. ent. Belg., 45: 141-161.
- . 1907  
Arachnides recueillis en Égypte et le long du Nil Blanc  
par la Mission zoologique suédoise, 1901. Arachnida.  
In: Results of the Swedish Zoological Expedition  
to Egypt and the White Nile. 21: 1-10.
- . 1910  
Catalogue raisonné des Arachnides du Nord de l'Afrique  
(1re partie).  
Ann. Soc. ent. Fr., 79: 265-332.
- Smith, A. M. 1988  
The Tarantula, classification and identification guide.  
Fitzgerald Publishing, London. 179pp.
- Strand, E. 1906  
Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr  
von Erlanger gesammelter Spinnen.  
Zool. Anz., 30(19-22): 605-690.
- . 1908a  
Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr von  
Erlanger gesammelter Aviculariidae, Drassidae und Theridiidae.  
Jahresh. Ver. Nat. Württlg., 64: 11-101.
- . 1908b  
Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr  
von Erlanger gesammelter Clubioniden.  
Archiv Math. Natur., 29(2): 3-70.
- . 1908c  
Nordafrikanische Spinnen, hauptsächlich von Carlo Freiherr von  
Erlanger gesammelt (Dictynidae, Eresidae, Sicariidae, Dysderidae,  
Caponiidae, Palpimanidae, Zodariidae, Urocteidae, Pholcidae,  
Agelenidae, Pisauridae).  
Archiv Naturg., 74, I(1): 67-128, pl. 2: f. 1a-8a.



Wesołowska, W. 1986

A revision of the genus *Heliophanus* C.L.Koch, 1833  
(Aranei : Salticidae).

Ann.zool., Warszawa, 40(1):1-254.

-----, 1988

Redescriptions of three species of the genus *Icius* Simon, 1876  
(Aranei : Salticidae).

Ann.zool., Warszawa, 41(11):395-402.

\*\*\*\*\*  
\*\*\*\*\*

## C O N T E N T S

Volume 1, Part 4-5 (pp. 1-49)

	Page
Preface	
Annotated checklist of Egyptian spider species (Arachnida : Araneae)	1

Date of publication : March 1990